



# Indiana College Substance Use Survey

2018

## SAMPLE REPORT



**Results of the  
Indiana College Substance Use Survey  
2018**

**Sample Report**

Institute for Research on Addictive Behavior  
501 N. Morton St., Suite 110  
Bloomington, IN 47404  
[www.drugs.indiana.edu](http://www.drugs.indiana.edu)

Funded by the Indiana Family and Social Services Administration,  
Division of Mental Health and Addiction  
through a contract with the Indiana Collegiate Action Network

## TABLE OF CONTENTS

Table of Contents.....	i
List of Tables .....	ii
List of Figures.....	iii
Introduction .....	1
Substance Use.....	2
Prevalence .....	2
Location and Type of Alcohol Use .....	6
Reasons for Alcohol Use .....	7
Age of First Time Use .....	8
Consequences of Alcohol Use.....	9
Risk Factors .....	11
Alcohol Availability .....	11
Perception of Peer Behaviors and Beliefs.....	15
Mental Health.....	18
Gambling Behavior .....	20
Characteristics of Survey Participants .....	23
Frequencies .....	25

## LIST OF TABLES

Table 1. Response Rate, 2018.....	1
Table 2. Number of Usable Questionnaires, 2018.....	1
Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2018 .....	2
Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2018....	3
Table 5. Percentage of Students Reporting Use of Select Substances in the Past Month, 2013 – 2018.....	3
Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2018 .....	4
Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2018 (Range = 0-15) .....	5
Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2018 .....	6
Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2018.....	7
Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2018 .....	8
Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2018 .....	9
Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2018.....	10
Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else’s Drinking, by Select Demographic Characteristics, 2018 .....	10
Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2018.....	15
Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2018 (range = 0 – 30) .....	15
Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2018.....	17
Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2018.....	17
Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2018 (range = 0 – 30) .....	18
Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2018.....	19
Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2018 .....	20
Table 21. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, 2018 .....	22
Table 22. Demographic Characteristics of Survey Participants, 2018 .....	23

## LIST OF FIGURES

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2018.....	4
Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2018 .....	5
Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2018 .....	6
Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2018 .....	11
Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, by Gender, 2018 .....	12
Figure 6. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer Using Select Methods, 2018.....	13
Figure 7. Percentage of Students Under 21 Who Reported Purchasing Alcohol from Retailers, Who Have Purchased at Select Retailers, 2018 .....	14
Figure 8. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Gender, 2018 (range = 0 – 30).....	16
Figure 9. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Gender, 2018 .....	18
Figure 10. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2018 .....	20
Figure 11. Percentage of Students Who Gambled in the Past Year, Who Reported Select Locations as Their Most Frequent Gambling Location, by Gender, 2018.....	21

## INTRODUCTION

The Indiana College Substance Use Survey was administered in Spring 2018. A total of 1,828 full-time undergraduate students were sent an e-mail inviting them to participate in the survey. Students were given a two-week period to complete the online questionnaire. A reminder e-mail was sent midway through the survey period. 254 students responded to the survey, for a response rate of 13.9%. A description of the history and methodology of the Indiana College Substance Use Survey can be found in the *Results of the Indiana College Substance Use Survey, 2018* at <http://drugs.indiana.edu/indiana-college-survey/substance-use-survey>.

Table 1. Response Rate, 2018

Number of students invited to participate	Number of respondents	Response Rate
1,828	254	13.9%

Three criteria were used to clean the data. Surveys were discarded if any of the following conditions were met:

- insufficient response (less than 26 items answered out of a total of 148 items),
- three or more inconsistent responses among substance use items, and
- pharmacologically-implausible patterns of responses (i.e., a combination of drugs and frequencies of use whose cumulative effect would be lethal).

One survey was rejected due to meeting at least one of the criteria, leaving 253 usable surveys (99.6%).

Table 2. Number of Usable Questionnaires, 2018

	Frequency	Percent
Insufficient response	0	0.0
Inconsistent responses	0	0.0
Implausibly high substance use responses	1	0.4
<b>Total number of usable surveys</b>	<b>253</b>	<b>99.6</b>
Total	254	100.0

## SUBSTANCE USE

### PREVALENCE

Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2018

Substance	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Alcohol	65.9	62.9	62.3	67.2	56.1	81.4
Marijuana	18.0	21.4	22.1	16.2	16.2	20.8
Cigarettes	10.3	13.4	15.9	7.7	9.6	11.3
Electronic vapor products	21.7	20.0	29.0	18.8	23.7	18.6
Cigars	5.9	6.5	17.4	1.7	5.1	7.2
Smoking tobacco with hookah/water pipe	7.6	5.4	8.7	6.7	7.1	8.2
Chewing/smokeless tobacco	2.8	3.6	10.1	0.0	1.3	5.2
Prescription stimulants not prescribed to you	3.6	4.8	7.2	2.2	3.2	4.1
Prescription painkillers not prescribed to you	2.0	1.7	4.3	1.1	1.9	2.1
Prescription sedatives not prescribed to you	3.6	2.0	5.8	2.2	3.2	4.2
Hallucinogens	2.0	2.4	5.8	0.6	0.0	5.2
Cocaine	1.6	2.7	5.8	0.0	0.0	4.1
Inhalants	0.8	0.5	2.9	0.0	0.0	2.1
Heroin	0.0	0.2	0.0	0.0	0.0	0.0
Methamphetamine	0.0	0.3	0.0	0.0	0.0	0.0
Other illegal drugs	0.8	0.5	2.9	0.0	0.0	2.1

Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2018

Substance	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Nicotine	72.0	73.4	85.7	64.2	64.8	85.7
THC	46.3	40.6	67.9	34.0	40.7	57.1
Alcohol	1.3	2.4	0.0	2.0	1.9	0.0
Other	9.3	7.2	0.0	14.6	11.8	4.2

Note. Out of students who reported ever using electronic vapor products (n = 85).

Table 5. Percentage of Students Reporting Use of Select Substances in the Past Month, 2013 – 2018

Substance	2013	2016	2017	2018
Alcohol	64.0	63.5	65.2	65.9
Marijuana	11.6	14.4	17.3	18.0
Cigarettes	10.5	10.8	10.9	10.3
Cigars	5.6	7.1	4.0	5.9
Smoking tobacco with hookah or water pipe	8.5	7.0	7.5	7.6
Chewing or smokeless tobacco	1.9	3.8	2.7	2.8
E-cigarettes	-	7.3	7.1	21.7
Rx Stimulants	-	3.5	3.9	3.6
Rx Painkillers	-	2.3	1.2	2.0
Rx Sedatives	-	1.0	1.2	3.6
Hallucinogens	0.5	1.0	3.1	2.0
Cocaine	0.2	0.5	0.8	1.6
Inhalants	0.0	0.5	0.0	0.8
Heroin	0.0	0.3	0.4	0.0
Methamphetamines	0.0	0.3	0.4	0.0
Other illegal drugs	0.3	0.8	0.0	0.8

\*E-cigarettes and Rx categories added in 2016



Binge drinking was defined in the Indiana College Substance Use Survey as four or more drinks in a row for females and five or more drinks in a row for males. This gender-specific standard follows the definition established by the National Institute on Alcohol Abuse and Alcoholism.

Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2018

All Students		Gender		Age	
SCHOOL	Indiana	Male	Female	Under 21	21 or older
35.3	34.5	36.4	34.7	32.7	39.6

Note. Binge drinking was defined as consuming 4 or more drinks in a row for females and 5 or more drinks in a row for males.

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2018.





Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2018 (Range = 0-15)

	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Mean	3.4	3.7	4.4	3.1	3.7	3.0
Standard Deviation	2.5	2.7	3.1	2.2	2.7	2.2

Note. Out of students who reported ever drinking alcohol (n = 215).


Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2018



Note. Out of students who reported ever drinking alcohol (n = 215).

## LOCATION AND TYPE OF ALCOHOL USE

Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2018



Note. Out of students who reported ever drinking alcohol (n = 215). Responses of drinking alcohol at select location “sometimes”, “often”, or “always” are included.

Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2018

Type	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Liquor	61.8	62.3	68.0	59.5	65.2	57.1
Beer	39.2	45.9	60.8	31.3	32.7	47.7
Wine	50.7	45.9	28.8	58.1	46.5	56.3
Malt beverages <sup>2</sup>	36.5	35.4	20.0	42.3	41.7	29.4
High alcohol drinks	7.9	11.6	11.5	6.7	7.0	9.2
Other	12.8	10.2	9.8	13.9	11.5	14.5

Note. Out of students who reported ever drinking alcohol (n = 215). Responses of drinking select type of alcohol “sometimes”, “often”, or “always” are included.

## REASONS FOR ALCOHOL USE

Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2018

Reason	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
To have a good time with friends	86.1	85.4	94.2	83.2	83.5	89.7
To relax	59.7	56.4	66.7	57.7	56.1	64.4
To experiment	35.6	25.4	34.6	36.2	41.7	27.6
Because of boredom	20.9	17.6	33.3	16.1	22.8	18.4
To get away from my problems	15.8	14.6	17.3	15.4	16.5	14.9
Because of anger/frustration	10.4	12.3	15.4	8.8	12.2	8.1
To get through the day	4.5	4.7	7.8	3.4	3.5	5.7
Because I'm hooked	1.5	2.0	3.9	0.7	1.8	1.1

Note: Out of students who reported ever drinking alcohol (n = 215).

## AGE OF FIRST TIME USE

Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2018

Substance	All Students	
	SCHOOL	Indiana
Alcohol	44.1	32.2
Marijuana	51.7	33.8
Cigarettes	37.3	32.1
Electronic vapor products	55.4	47.0
Cigars	37.5	29.8
Smoking tobacco with hookah	50.0	36.3
Chewing/smokeless tobacco	33.3	24.9
Prescription stimulants	56.5	52.8
Prescription painkillers	37.5	31.8
Prescription sedatives	56.3	45.8
Hallucinogens	57.1	53.7
Cocaine	61.5	66.5

*Note.* Out of students who reported ever having used that substance. Only substances where ten or more students indicated use are included.

## CONSEQUENCES OF ALCOHOL USE

Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2018

Consequences	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Had a hangover	48.8	55.6	57.7	45.3	43.5	55.8
Forgot where you were or what you did (blacked out)	26.9	27.0	38.5	22.3	26.1	27.9
Felt bad or guilty about your drinking	28.5	25.5	30.8	27.9	29.2	27.6
Did something you later regretted	27.9	25.5	33.3	25.5	28.9	26.4
Engaged in unprotected sexual intercourse (i.e., without a condom)	16.4	16.9	19.6	14.8	16.5	16.3
Missed class or an assignment	11.0	13.8	17.6	8.8	8.8	14.0
Driven a car while under the influence	10.9	8.8	17.3	8.7	7.8	14.9
Been hurt or injured because of drinking	10.0	10.4	21.2	6.1	9.6	10.3
Created problems between you and your friends or family members	5.4	10.0	3.8	6.0	6.1	4.6
Had friends or family members worry or complain about your drinking	8.4	10.2	15.4	6.0	10.4	5.7
Been in trouble with police, residence hall, or other college authorities	5.0	4.0	13.5	2.0	7.0	2.3
Gotten into physical fights when drinking	3.5	3.9	9.6	1.4	1.8	5.9
Gotten into trouble at work or college because of drinking	2.5	3.1	7.7	0.7	3.5	1.1
Been ticketed	1.5	2.0	3.8	0.7	1.7	1.1
Been arrested for drunk driving	0.5	0.6	1.9	0.0	0.9	0.0

Note. Out of students who reported ever drinking alcohol (n = 215).

Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2018

	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Experienced unwanted sexual activity	5.0	3.6	0.0	6.7	6.1	3.5
Took advantage of someone sexually	0.5	0.6	2.0	0.0	0.9	0.0

Note. Out of students who reported ever drinking alcohol (n = 215).


Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Select Demographic Characteristics, 2018

Consequence	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Had to take care of another student who drank too much	59.0	47.5	61.3	58.2	60.1	57.1
Had your studying or sleep interrupted	37.1	33.8	22.6	43.0	37.7	36.3
Had to act as a designated driver for another student because he or she drank	37.3	32.5	47.5	33.9	34.3	41.8
Found vomit in the halls or other areas of your residence	22.7	23.9	37.1	17.6	24.6	19.8
Had your belongings or property damaged	10.0	13.4	17.7	7.3	7.2	14.3

## RISK FACTORS

### ALCOHOL AVAILABILITY


Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2018



*Note.* Out of students under 21 who reported ever drinking alcohol (n = 122). Responses of obtaining alcohol from select source “sometimes,” “often,” or “always” are included.




Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, by Gender, 2018




Note. Out of students under 21 who reported ever drinking alcohol (n = 122).

Figure 6. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer Using Select Methods, 2018



Note: Out of students under 21 who have purchased alcohol from a retailer in the past year (n = 20).

Figure 7. Percentage of Students Under 21 Who Reported Purchasing Alcohol from Retailers, Who Have Purchased at Select Retailers, 2018



Note: Out of students under 21 who have purchased alcohol from a retailer in the past year (n = 20).

**PERCEPTION OF PEER BEHAVIORS AND BELIEFS**

Students were asked to estimate the percentage of students at their school who drank alcohol in the past month.

Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2018

Perceived percent who use alcohol	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 - 25
0% - 19%	4.8	5.2	5.3	4.6	5.5	3.8
20% - 39%	14.2	13.7	16.5	12.8	16.2	10.9
40% - 59%	22.5	22.6	23.1	22.2	24.1	19.8
60% - 79%	38.6	28.5	38.0	39.2	37.4	40.7
60% – 69%	17.9	21.6	17.2	18.4	17.8	17.9
70% - 79%	20.8	22.4	20.8	20.8	19.6	22.7
80% - 100%	19.8	19.5	17.3	21.3	16.8	24.8

Students were also asked how many alcoholic drinks they thought the typical student at their school consumed the last time he or she partied/socialized. Students could provide any figure between 0 – 30.

Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2018 (range = 0 – 30)

	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Mean	4.1	4.5	4.1	4.1	4.0	4.1
Standard Deviation	1.7	2.4	1.6	1.8	1.9	1.6

Figure 8. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Gender, 2018 (range = 0 – 30)




Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2018

Substance	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Having five or more alcoholic drinks in one sitting	45.4	41.4	17.7	56.4	47.8	41.8
Using marijuana	48.0	46.4	29.0	55.8	48.6	47.3
Using prescription medication not prescribed to you	82.5	81.9	71.0	87.3	81.9	83.5

Note: Responses of “Strongly Disapprove” or “Somewhat Disapprove” are included.

Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2018

Location	All Students		Gender	
	SCHOOL	Indiana	Male	Female
On-campus housing	32.1	50.6	18.9	36.7
Off-campus housing	16.1	22.2	10.8	18.4
On-campus party	36.5	50.6	21.6	41.8
Off-campus party	24.3	28.0	16.2	27.8
Athletic event	38.0	52.9	29.7	40.8
Other places in the community	33.8	44.2	29.7	35.1

Note: n = 156. Responses of “Very Likely” or “Somewhat Likely” are included.

## MENTAL HEALTH


The Indiana College Substance Use Survey asked three questions to assess students' mental health status. Students were asked on how many days in the past month their mental health was not good, including experiencing stress, depression, or problems with emotions. They were also asked if, in the past year, they had experienced feeling so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, and if they had ever seriously considered attempting suicide.

Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2018 (range = 0 – 30)

	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Mean	8.0	7.0	6.2	8.8	9.1	6.4
Standard Deviation	8.0	8.2	7.7	8.1	8.5	7.0

*Note.* Survey question: “Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?”

Figure 9. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Gender, 2018



*Note.* Survey question: “Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?”

Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2018

	<b>All Students</b>		<b>Gender</b>		<b>Age</b>	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Felt sad or hopeless	29.4	25.9	21.3	32.7	31.9	25.6
Considered attempting suicide	14.5	9.6	16.4	13.4	18.2	8.9

Note: Sadness survey question: “During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?”



## GAMBLING BEHAVIOR

Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2018

Gambling Behavior	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Lottery	21.8	23.5	22.6	21.8	16.7	29.7
Personal challenges/dares	14.9	12.9	17.7	14.0	15.2	14.4
Card games	7.4	10.8	19.4	3.0	2.9	14.3
Sports	7.9	11.0	19.4	3.6	5.1	12.1
At a casino	8.8	8.9	11.5	7.9	0.7	20.9
Personal games of skill	7.0	9.3	16.1	3.6	6.5	7.7
Bingo	2.6	5.5	1.6	3.0	1.4	4.4
Online gambling	0.0	1.8	0.0	0.0	0.0	0.0
At informal locations	0.0	0.6	0.0	0.0	0.0	0.0
Bet/gambled in other ways	5.2	4.7	6.5	4.8	3.6	7.7

Figure 10. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2018





Figure 11. Percentage of Students Who Gambled in the Past Year, Who Reported Select Locations as Their Most Frequent Gambling Location, by Gender, 2018



Note. Does not include students who only gambled online or playing the lottery (n = 56).

Table 21. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, 2018

Consequence	All Students		Gender		Age	
	SCHOOL	Indiana	Male	Female	Under 21	21 or older
Lost possessions or money	10.5	17.7	20.0	5.4	7.9	12.5
Felt bad about gambling	2.4	6.7	6.9	0.0	0.0	4.3
Issues with friends and family	0.0	2.2	0.0	0.0	0.0	0.0
Academic problems	0.0	1.4	0.0	0.0	0.0	0.0
Poor health	0.0	1.3	0.0	0.0	0.0	0.0
Issues with legal system	0.0	0.5	0.0	0.0	0.0	0.0

Note: n = 87.

## CHARACTERISTICS OF SURVEY PARTICIPANTS

Table 22. Demographic Characteristics of Survey Participants, 2018

	Frequency	%
<b>Gender</b>		
Male	69	27.3
Female	181	71.5
Transgender	3	1.2
<b>Age</b>		
Under 21	156	61.7
21 or older	97	38.3
<b>Race</b>		
White	225	88.9
Black/African American	1	0.4
Asian	17	6.7
Native American/Alaskan Native	1	0.4
Hawaiian/Pacific Islander	0	0.0
More than one race	6	2.4
Other	3	1.2
No answer	0	0.0
<b>Ethnicity</b>		
Hispanic	14	5.5
Non-Hispanic	239	94.5
No answer	0	0.0

Table 22 continued.

<b>Classification</b>		
1st year undergraduate	75	29.6
2nd year undergraduate	51	20.2
3rd year undergraduate	66	26.1
4th year undergraduate	55	21.7
5th year or more undergraduate	1	0.4
Grad/professional	4	1.6
Not seeking degree	0	0.0
Other	0	0.0
No answer	1	0.4
<b>Student status</b>		
Full-time	247	97.6
Part-time	6	2.4
No answer	0	0.0
<b>Location of residence</b>		
Fraternity/sorority house	11	4.3
Campus residence hall	108	42.7
Other on-campus housing	57	22.5
Off-campus	75	29.6
No answer	2	0.8
<b>Greek affiliation</b>		
Yes	83	32.8
No	170	67.2
No answer	0	0.0

## FREQUENCIES

### Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	42	16.6	16.6	16.6
	19	57	22.5	22.5	39.1
	20	57	22.5	22.5	61.7
	21	53	20.9	20.9	82.6
	22	34	13.4	13.4	96.0
	23	2	0.8	0.8	96.8
	25	1	0.4	0.4	97.2
	26 or older	7	2.8	2.8	100.0
	Total	253	100.0	100.0	

### Ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Hispanic	14	5.5	5.5	5.5
	Non-Hispanic	239	94.5	94.5	100.0
	Total	253	100.0	100.0	

### Race

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White	225	88.9	88.9	88.9
	Black/African-American	1	0.4	0.4	89.3
	Asian	17	6.7	6.7	96.0
	Native American/Alaskan Native	1	0.4	0.4	96.4
	More than one race	6	2.4	2.4	98.8
	Other	3	1.2	1.2	100.0
	Total	253	100.0	100.0	

### Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	69	27.3	27.3	27.3
	Female	181	71.5	71.5	98.8

	Transgender	3	1.2	1.2	100.0
	Total	253	100.0	100.0	

#### Sexual orientation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Heterosexual or straight	197	77.9	77.9	77.9
	Homosexual, gay, lesbian, queer	18	7.1	7.1	85.0
	Bisexual	23	9.1	9.1	94.1
	Other	6	2.4	2.4	96.4
	Don't Know/Not Sure/Questioning	9	3.6	3.6	100.0
	Total	253	100.0	100.0	

#### Student status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time	247	97.6	97.6	97.6
	Part-time	6	2.4	2.4	100.0
	Total	253	100.0	100.0	

#### Year in school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1st year undergraduate	75	29.6	29.8	29.8
	2nd year undergraduate	51	20.2	20.2	50.0
	3rd year undergraduate	66	26.1	26.2	76.2
	4th year undergraduate	55	21.7	21.8	98.0
	5th year or more undergraduate	1	0.4	0.4	98.4
	Graduate or professional student	4	1.6	1.6	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

#### Location of residence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fraternity or sorority house	11	4.3	4.4	4.4

	Campus residence hall	108	42.7	43.0	47.4
	Other on-campus housing	57	22.5	22.7	70.1
	Off campus	75	29.6	29.9	100.0
	Total	251	99.2	100.0	
Missing	System	2	0.8		
Total		253	100.0		

#### Member of fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	83	32.8	32.8	32.8
	No	170	67.2	67.2	100.0
	Total	253	100.0	100.0	

#### Served on active duty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	0.4	0.4	0.4
	No	252	99.6	99.6	100.0
	Total	253	100.0	100.0	

#### Number of times in the past month substance was used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	201	79.4	79.4	79.4
	Have used but not in past 30 days	26	10.3	10.3	89.7
	1-2 occasions	12	4.7	4.7	94.5
	3-5 occasions	4	1.6	1.6	96.0
	6-9 occasions	1	0.4	0.4	96.4
	10-19 occasions	2	0.8	0.8	97.2
	20-39 occasions	3	1.2	1.2	98.4
	40 or more occasions	4	1.6	1.6	100.0
	Total	253	100.0	100.0	

#### Number of times in the past month substance was used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	203	80.2	80.2	80.2



Have used but not in past 30 days	35	13.8	13.8	94.1
1-2 occasions	9	3.6	3.6	97.6
3-5 occasions	4	1.6	1.6	99.2
20-39 occasions	1	0.4	0.4	99.6
40 or more occasions	1	0.4	0.4	100.0
Total	253	100.0	100.0	

**Number of times in the past month substance was used: Chewing or smokeless tobacco**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	229	90.5	90.9	90.9
	Have used but not in past 30 days	16	6.3	6.3	97.2
	1-2 occasions	3	1.2	1.2	98.4
	6-9 occasions	1	0.4	0.4	98.8
	20-39 occasions	1	0.4	0.4	99.2
	40 or more occasions	2	0.8	0.8	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Smoking tobacco with hookah/water pipe**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	205	81.0	81.7	81.7
	Have used but not in past 30 days	27	10.7	10.8	92.4
	1-2 occasions	13	5.1	5.2	97.6
	3-5 occasions	4	1.6	1.6	99.2
	6-9 occasions	1	0.4	0.4	99.6
	20-39 occasions	1	0.4	0.4	100.0
	Total	251	99.2	100.0	
Missing	System	2	0.8		
Total		253	100.0		

**Number of times in the past month substance was used: E-Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	168	66.4	66.4	66.4

Have used but not in past 30 days	30	11.9	11.9	78.3
1-2 occasions	29	11.5	11.5	89.7
3-5 occasions	7	2.8	2.8	92.5
6-9 occasions	6	2.4	2.4	94.9
10-19 occasions	4	1.6	1.6	96.4
20-39 occasions	4	1.6	1.6	98.0
40 or more occasions	5	2.0	2.0	100.0
Total	253	100.0	100.0	

**Number of times in the past month substance was used: Alcohol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	37	14.6	14.7	14.7
	Have used but not in past 30 days	49	19.4	19.4	34.1
	1-2 occasions	49	19.4	19.4	53.6
	3-5 occasions	31	12.3	12.3	65.9
	6-9 occasions	28	11.1	11.1	77.0
	10-19 occasions	33	13.0	13.1	90.1
	20-39 occasions	9	3.6	3.6	93.7
	40 or more occasions	16	6.3	6.3	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Marijuana**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	159	62.8	63.6	63.6
	Have used but not in past 30 days	46	18.2	18.4	82.0
	1-2 occasions	11	4.3	4.4	86.4
	3-5 occasions	4	1.6	1.6	88.0
	6-9 occasions	10	4.0	4.0	92.0
	10-19 occasions	6	2.4	2.4	94.4
	20-39 occasions	5	2.0	2.0	96.4
	40 or more occasions	9	3.6	3.6	100.0
	Total	250	98.8	100.0	
Missing	System	3	1.2		
Total		253	100.0		

**Number of times in the past month substance was used: Cocaine/Crack**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	238	94.1	94.4	94.4
	Have used but not in past 30 days	10	4.0	4.0	98.4
	1-2 occasions	2	0.8	0.8	99.2
	10-19 occasions	1	0.4	0.4	99.6
	20-39 occasions	1	0.4	0.4	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Hallucinogens/Ecstasy**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	230	90.9	91.3	91.3
	Have used but not in past 30 days	17	6.7	6.7	98.0
	1-2 occasions	3	1.2	1.2	99.2
	3-5 occasions	1	0.4	0.4	99.6
	6-9 occasions	1	0.4	0.4	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Heroin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	250	98.8	99.2	99.2
	Have used but not in past 30 days	2	0.8	0.8	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Methamphetamine**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	250	98.8	98.8	98.8
	Have used but not in past 30 days	3	1.2	1.2	100.0

Total	253	100.0	100.0
-------	-----	-------	-------

**Number of times in the past month substance was used: Inhalants**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	242	95.7	96.0	96.0
	Have used but not in past 30 days	8	3.2	3.2	99.2
	3-5 occasions	1	0.4	0.4	99.6
	10-19 occasions	1	0.4	0.4	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Prescription stimulants not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	229	90.5	90.5	90.5
	Have used but not in past 30 days	15	5.9	5.9	96.4
	1-2 occasions	4	1.6	1.6	98.0
	3-5 occasions	3	1.2	1.2	99.2
	6-9 occasions	1	0.4	0.4	99.6
	40 or more occasions	1	0.4	0.4	100.0
	Total	253	100.0	100.0	

**Number of times in the past month substance was used: Prescription painkillers not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	235	92.9	93.3	93.3
	Have used but not in past 30 days	12	4.7	4.8	98.0
	1-2 occasions	4	1.6	1.6	99.6
	3-5 occasions	1	0.4	0.4	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Prescription sedatives not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	234	92.5	92.9	92.9
	Have used but not in past 30 days	9	3.6	3.6	96.4
	1-2 occasions	7	2.8	2.8	99.2
	3-5 occasions	2	0.8	0.8	100.0
	Total	252	99.6	100.0	
Missing	System	1	0.4		
Total		253	100.0		

**Number of times in the past month substance was used: Other illegal drugs**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	240	94.9	96.4	96.4
	Have used but not in past 30 days	7	2.8	2.8	99.2
	1-2 occasions	1	0.4	0.4	99.6
	3-5 occasions	1	0.4	0.4	100.0
	Total	249	98.4	100.0	
Missing	System	4	1.6		
Total		253	100.0		

**Used electronic vapor product for nicotine**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	59	23.3	72.0	72.0
	No	23	9.1	28.0	100.0
	Total	82	32.4	100.0	
Missing	System	171	67.6		
Total		253	100.0		

**Used electronic vapor product for THC**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	38	15.0	46.3	46.3
	No	44	17.4	53.7	100.0
	Total	82	32.4	100.0	
Missing	System	171	67.6		
Total		253	100.0		

**Used electronic vapor product for alcohol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	0.4	1.3	1.3
	No	78	30.8	98.7	100.0
	Total	79	31.2	100.0	
Missing	System	174	68.8		
Total		253	100.0		

**Used electronic vapor product for other**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	2.8	9.3	9.3
	No	68	26.9	90.7	100.0
	Total	75	29.6	100.0	
Missing	System	178	70.4		
Total		253	100.0		

**Age when first used: Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	32	12.6	62.7	62.7
	After starting college	19	7.5	37.3	100.0
	Total	51	20.2	100.0	
Missing	System	202	79.8		
Total		253	100.0		

**Age when first used: Cigars**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	30	11.9	62.5	62.5
	After starting college	18	7.1	37.5	100.0
	Total	48	19.0	100.0	
Missing	System	205	81.0		
Total		253	100.0		

**Age when first used: Chewing or smokeless tobacco**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	14	5.5	66.7	66.7
	After starting college	7	2.8	33.3	100.0
	Total	21	8.3	100.0	

Missing	System	232	91.7
Total		253	100.0

**Age when first used: Smoking tobacco with hookah or water pipe**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	22	8.7	50.0	50.0
	After starting college	22	8.7	50.0	100.0
	Total	44	17.4	100.0	
Missing	System	209	82.6		
Total		253	100.0		

**Age when first used: E-Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	37	14.6	44.6	44.6
	After starting college	46	18.2	55.4	100.0
	Total	83	32.8	100.0	
Missing	System	170	67.2		
Total		253	100.0		

**Age when first used: Alcohol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	120	47.4	56.1	56.1
	After starting college	94	37.2	43.9	100.0
	Total	214	84.6	100.0	
Missing	System	39	15.4		
Total		253	100.0		

**Age when first used: Marijuana**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	43	17.0	48.3	48.3
	After starting college	46	18.2	51.7	100.0
	Total	89	35.2	100.0	
Missing	System	164	64.8		
Total		253	100.0		

**Age when first used: Cocaine/Crack**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	5	2.0	38.5	38.5
	After starting college	8	3.2	61.5	100.0
	Total	13	5.1	100.0	
Missing	System	240	94.9		
Total		253	100.0		

**Age when first used: Hallucinogens/Ecstasy**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	9	3.6	42.9	42.9
	After starting college	12	4.7	57.1	100.0
	Total	21	8.3	100.0	
Missing	System	232	91.7		
Total		253	100.0		

**Age when first used: Heroin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1	0.4	100.0	100.0
Missing	System	252	99.6		
Total		253	100.0		

**Age when first used: Methamphetamine**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	After starting college	2	0.8	100.0	100.0
Missing	System	251	99.2		
Total		253	100.0		

**Age when first used: Inhalants**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	5	2.0	55.6	55.6
	After starting college	4	1.6	44.4	100.0
	Total	9	3.6	100.0	
Missing	System	244	96.4		
Total		253	100.0		

**Age when first used: Prescription stimulants not prescribed to you**



		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	10	4.0	43.5	43.5
	After starting college	13	5.1	56.5	100.0
	Total	23	9.1	100.0	
Missing	System	230	90.9		
Total		253	100.0		

**Age when first used: Prescription painkillers not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	10	4.0	62.5	62.5
	After starting college	6	2.4	37.5	100.0
	Total	16	6.3	100.0	
Missing	System	237	93.7		
Total		253	100.0		

**Age when first used: Prescription sedatives not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	7	2.8	43.8	43.8
	After starting college	9	3.6	56.3	100.0
	Total	16	6.3	100.0	
Missing	System	237	93.7		
Total		253	100.0		

**Age when first used: Other illegal drugs**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	4	1.6	50.0	50.0
	After starting college	4	1.6	50.0	100.0
	Total	8	3.2	100.0	
Missing	System	245	96.8		
Total		253	100.0		

**Number of times student binge drank during the last two weeks - out of students who drank alcohol in past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	70	27.7	45.2	45.2
	1	27	10.7	17.4	62.6

	2	23	9.1	14.8	77.4
	3	11	4.3	7.1	84.5
	4	12	4.7	7.7	92.3
	5	6	2.4	3.9	96.1
	6	2	0.8	1.3	97.4
	7	2	0.8	1.3	98.7
	9	1	0.4	0.6	99.4
	10 or more times	1	0.4	0.6	100.0
	Total	155	61.3	100.0	
Missing	System	98	38.7		
Total		253	100.0		

**How many drinks do you typically have?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	40	15.8	20.7	20.7
	2	50	19.8	25.9	46.6
	3	35	13.8	18.1	64.8
	4	19	7.5	9.8	74.6
	5	16	6.3	8.3	82.9
	6	13	5.1	6.7	89.6
	7	6	2.4	3.1	92.7
	8	5	2.0	2.6	95.3
	10	6	2.4	3.1	98.4
	12	1	0.4	0.5	99.0
	14	1	0.4	0.5	99.5
	15 or more drinks	1	0.4	0.5	100.0
	Total	193	76.3	100.0	
Missing	System	60	23.7		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Residence hall**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	149	58.9	74.5	74.5
	Rarely	25	9.9	12.5	87.0
	Sometimes	13	5.1	6.5	93.5
	Often	11	4.3	5.5	99.0
	Always	2	0.8	1.0	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Fraternity/sorority**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	101	39.9	51.0	51.0
	Rarely	28	11.1	14.1	65.2
	Sometimes	24	9.5	12.1	77.3
	Often	36	14.2	18.2	95.5
	Always	9	3.6	4.5	100.0
	Total	198	78.3	100.0	
Missing	System	55	21.7		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Other on-campus location**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	126	49.8	63.0	63.0
	Rarely	27	10.7	13.5	76.5
	Sometimes	22	8.7	11.0	87.5
	Often	22	8.7	11.0	98.5
	Always	3	1.2	1.5	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Off-campus house or apartment**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	63	24.9	31.3	31.3
	Rarely	39	15.4	19.4	50.7
	Sometimes	44	17.4	21.9	72.6
	Often	42	16.6	20.9	93.5
	Always	13	5.1	6.5	100.0
	Total	201	79.4	100.0	
Missing	System	52	20.6		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Bar/restaurant**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	105	41.5	52.5	52.5
	Rarely	25	9.9	12.5	65.0

	Sometimes	43	17.0	21.5	86.5
	Often	26	10.3	13.0	99.5
	Always	1	0.4	0.5	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Sporting/athletic event**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	171	67.6	85.1	85.1
	Rarely	17	6.7	8.5	93.5
	Sometimes	8	3.2	4.0	97.5
	Often	5	2.0	2.5	100.0
	Total	201	79.4	100.0	
Missing	System	52	20.6		
Total		253	100.0		

**In the past year, how often did you drink alcohol: In a car**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	185	73.1	92.5	92.5
	Rarely	9	3.6	4.5	97.0
	Sometimes	4	1.6	2.0	99.0
	Often	2	0.8	1.0	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**In the past year, how often did you drink alcohol: Other**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	158	62.5	81.0	81.0
	Rarely	16	6.3	8.2	89.2
	Sometimes	13	5.1	6.7	95.9
	Often	7	2.8	3.6	99.5
	Always	1	0.4	0.5	100.0
	Total	195	77.1	100.0	
Missing	System	58	22.9		
Total		253	100.0		

**Reasons for drinking in the past year: To experiment**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	72	28.5	35.5	35.5
	No	128	50.6	63.1	98.5
	Unsure	3	1.2	1.5	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Reasons for drinking in the past year: Because I am hooked**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	1.2	1.5	1.5
	No	198	78.3	98.0	99.5
	Unsure	1	0.4	0.5	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Reasons for drinking in the past year: To relax or relieve tension**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	120	47.4	59.4	59.4
	No	80	31.6	39.6	99.0
	Unsure	2	0.8	1.0	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Reasons for drinking in the past year: To have a good time with friends**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	174	68.8	85.7	85.7
	No	29	11.5	14.3	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Reasons for drinking in the past year: Because of boredom**

		Frequency	Percent	Valid Percent	Cumulative Percent
--	--	-----------	---------	---------------	--------------------

Valid	Yes	42	16.6	20.8	20.8
	No	156	61.7	77.2	98.0
	Unsure	4	1.6	2.0	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Reasons for drinking in the past year: Because of anger or frustration**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	21	8.3	10.4	10.4
	No	180	71.1	89.1	99.5
	Unsure	1	0.4	0.5	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Reasons for drinking in the past year: To get through the day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	9	3.6	4.5	4.5
	No	192	75.9	95.5	100.0
	Total	201	79.4	100.0	
Missing	System	52	20.6		
Total		253	100.0		

**Reasons for drinking in the past year: To get away from my problems**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	32	12.6	15.8	15.8
	No	166	65.6	81.8	97.5
	Unsure	5	2.0	2.5	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Consequences of alcohol use in the past year: Friends or family members worried or complained about your drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	186	73.5	91.6	91.6
	Once	9	3.6	4.4	96.1

	Twice	5	2.0	2.5	98.5
	6-9 times	1	0.4	0.5	99.0
	10+ times	2	0.8	1.0	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Consequences of alcohol use in the past year: Had a hangover**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	104	41.1	51.5	51.5
	Once	29	11.5	14.4	65.8
	Twice	22	8.7	10.9	76.7
	3-5 times	17	6.7	8.4	85.1
	6-9 times	12	4.7	5.9	91.1
	10+ times	18	7.1	8.9	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Consequences of alcohol use in the past year: Felt bad/guilty about your drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	144	56.9	71.6	71.6
	Once	27	10.7	13.4	85.1
	Twice	13	5.1	6.5	91.5
	3-5 times	8	3.2	4.0	95.5
	6-9 times	5	2.0	2.5	98.0
	10+ times	4	1.6	2.0	100.0
	Total	201	79.4	100.0	
Missing	System	52	20.6		
Total		253	100.0		

**Consequences of alcohol use in the past year: Created problems between you and your friends or family members**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	192	75.9	94.6	94.6
	Once	6	2.4	3.0	97.5
	Twice	3	1.2	1.5	99.0
	3-5 times	2	0.8	1.0	100.0

	Total	203	80.2	100.0
Missing	System	50	19.8	
Total		253	100.0	

**Consequences of alcohol use in the past year: Gotten into trouble at work or school because of drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	198	78.3	97.5	97.5
	Once	4	1.6	2.0	99.5
	Twice	1	0.4	0.5	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Consequences of alcohol use in the past year: Been hurt or injured because of drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	182	71.9	90.1	90.1
	Once	14	5.5	6.9	97.0
	Twice	4	1.6	2.0	99.0
	3-5 times	2	0.8	1.0	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Consequences of alcohol use in the past year: Been ticketed or arrested because of drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	200	79.1	98.5	98.5
	Once	2	0.8	1.0	99.5
	Twice	1	0.4	0.5	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Consequences of alcohol use in the past year: Been arrested for drunk driving**

		Frequency	Percent	Valid Percent	Cumulative Percent
--	--	-----------	---------	---------------	--------------------



Valid	Never	202	79.8	99.5	99.5
	Once	1	0.4	0.5	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Consequences of alcohol use in the past year: Driven a car while under the influence**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	181	71.5	89.2	89.2
	Once	12	4.7	5.9	95.1
	Twice	1	0.4	0.5	95.6
	3-5 times	7	2.8	3.4	99.0
	6-9 times	2	0.8	1.0	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**Consequences of alcohol use in the past year: Gotten into physical fights when drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	193	76.3	96.5	96.5
	Twice	4	1.6	2.0	98.5
	3-5 times	2	0.8	1.0	99.5
	10+ times	1	0.4	0.5	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**Consequences of alcohol use in the past year: Engaged in unprotected sex**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	169	66.8	83.7	83.7
	Once	15	5.9	7.4	91.1
	Twice	10	4.0	5.0	96.0
	3-5 times	5	2.0	2.5	98.5
	6-9 times	2	0.8	1.0	99.5
	10+ times	1	0.4	0.5	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		

Total		253	100.0
-------	--	-----	-------

---



---

**Consequences of alcohol use in the past year: Missed class or assignments**

---



---

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	179	70.8	89.1	89.1
	Once	17	6.7	8.5	97.5
	Twice	2	0.8	1.0	98.5
	3-5 times	1	0.4	0.5	99.0
	6-9 times	2	0.8	1.0	100.0
	Total	201	79.4	100.0	
Missing	System	52	20.6		
Total		253	100.0		

---



---

**Consequences of alcohol use in the past year: Blacked out**

---



---

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	148	58.5	73.3	73.3
	Once	20	7.9	9.9	83.2
	Twice	13	5.1	6.4	89.6
	3-5 times	13	5.1	6.4	96.0
	6-9 times	4	1.6	2.0	98.0
	10+ times	4	1.6	2.0	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

---



---

**Consequences of alcohol use in the past year: Did something I later regretted**

---



---

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	146	57.7	72.3	72.3
	Once	30	11.9	14.9	87.1
	Twice	13	5.1	6.4	93.6
	3-5 times	12	4.7	5.9	99.5
	10+ times	1	0.4	0.5	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

---



---

**Consequences of alcohol use in the past year: Been in trouble with police, etc**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	192	75.9	95.0	95.0
	Once	9	3.6	4.5	99.5
	Twice	1	0.4	0.5	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Consequences of alcohol use in the past year: Experienced unwanted sexual activity**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	192	75.9	95.0	95.0
	Once	8	3.2	4.0	99.0
	Twice	2	0.8	1.0	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**Consequences of alcohol use in the past year: Took advantage of someone sexually**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	201	79.4	99.5	99.5
	Once	1	0.4	0.5	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**How often did you drink beer in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	71	28.1	35.5	35.5
	Rarely	51	20.2	25.5	61.0
	Sometimes	24	9.5	12.0	73.0
	Often	46	18.2	23.0	96.0
	Always	8	3.2	4.0	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**How often did you drink malt beverages in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	69	27.3	34.3	34.3
	Rarely	59	23.3	29.4	63.7
	Sometimes	47	18.6	23.4	87.1
	Often	25	9.9	12.4	99.5
	Always	1	0.4	0.5	100.0
	Total	201	79.4	100.0	
Missing	System	52	20.6		
Total		253	100.0		

**How often did you drink wine in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	42	16.6	20.8	20.8
	Rarely	58	22.9	28.7	49.5
	Sometimes	53	20.9	26.2	75.7
	Often	45	17.8	22.3	98.0
	Always	4	1.6	2.0	100.0
	Total	202	79.8	100.0	
Missing	System	51	20.2		
Total		253	100.0		

**How often did you drink liquor in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	34	13.4	17.0	17.0
	Rarely	43	17.0	21.5	38.5
	Sometimes	54	21.3	27.0	65.5
	Often	58	22.9	29.0	94.5
	Always	11	4.3	5.5	100.0
	Total	200	79.1	100.0	
Missing	System	53	20.9		
Total		253	100.0		

**How often did you drink high alcohol drinks in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	149	58.9	73.4	73.4
	Rarely	38	15.0	18.7	92.1

	Sometimes	10	4.0	4.9	97.0
	Often	6	2.4	3.0	100.0
	Total	203	80.2	100.0	
Missing	System	50	19.8		
Total		253	100.0		

**How often did you drink some other type of alcohol in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	148	58.5	75.1	75.1
	Rarely	24	9.5	12.2	87.3
	Sometimes	20	7.9	10.2	97.5
	Often	5	2.0	2.5	100.0
	Total	197	77.9	100.0	
Missing	System	56	22.1		
Total		253	100.0		

**How often do you drink micro-brewed beer?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	59	23.3	45.7	45.7
	Rarely	31	12.3	24.0	69.8
	Sometimes	30	11.9	23.3	93.0
	Often	8	3.2	6.2	99.2
	Always	1	0.4	0.8	100.0
	Total	129	51.0	100.0	
Missing	System	124	49.0		
Total		253	100.0		

**How often do you drink micro-distilled liquor?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	107	42.3	64.5	64.5
	Rarely	40	15.8	24.1	88.6
	Sometimes	15	5.9	9.0	97.6
	Often	4	1.6	2.4	100.0
	Total	166	65.6	100.0	
Missing	System	87	34.4		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from friends over 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	24	9.5	22.0	22.0
	Rarely	12	4.7	11.0	33.0
	Sometimes	21	8.3	19.3	52.3
	Often	28	11.1	25.7	78.0
	Always	24	9.5	22.0	100.0
	Total	109	43.1	100.0	
Missing	System	144	56.9		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from siblings over 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	89	35.2	85.6	85.6
	Rarely	3	1.2	2.9	88.5
	Sometimes	8	3.2	7.7	96.2
	Often	4	1.6	3.8	100.0
	Total	104	41.1	100.0	
Missing	System	149	58.9		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from other adults over 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	69	27.3	64.5	64.5
	Rarely	13	5.1	12.1	76.6
	Sometimes	15	5.9	14.0	90.7
	Often	7	2.8	6.5	97.2
	Always	3	1.2	2.8	100.0
	Total	107	42.3	100.0	
Missing	System	146	57.7		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol at on-campus parties**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	65	25.7	60.7	60.7
	Rarely	11	4.3	10.3	71.0

	Sometimes	20	7.9	18.7	89.7
	Often	10	4.0	9.3	99.1
	Always	1	0.4	0.9	100.0
	Total	107	42.3	100.0	
Missing	System	146	57.7		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol at fraternity or sorority houses**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	55	21.7	50.5	50.5
	Rarely	15	5.9	13.8	64.2
	Sometimes	22	8.7	20.2	84.4
	Often	15	5.9	13.8	98.2
	Always	2	0.8	1.8	100.0
	Total	109	43.1	100.0	
Missing	System	144	56.9		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol at off-campus parties**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	63	24.9	57.8	57.8
	Rarely	16	6.3	14.7	72.5
	Sometimes	19	7.5	17.4	89.9
	Often	9	3.6	8.3	98.2
	Always	2	0.8	1.8	100.0
	Total	109	43.1	100.0	
Missing	System	144	56.9		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from someone under 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	76	30.0	70.4	70.4
	Rarely	13	5.1	12.0	82.4
	Sometimes	14	5.5	13.0	95.4
	Often	5	2.0	4.6	100.0
	Total	108	42.7	100.0	

Missing	System	145	57.3
Total		253	100.0

**Students under 21: In the past year, how often have you obtained alcohol from parents**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	67	26.5	61.5	61.5
	Rarely	17	6.7	15.6	77.1
	Sometimes	12	4.7	11.0	88.1
	Often	11	4.3	10.1	98.2
	Always	2	0.8	1.8	100.0
	Total	109	43.1	100.0	
Missing	System	144	56.9		
Total		253	100.0		

**Students under 21: In the past year, how often have you obtained alcohol some other way**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	86	34.0	81.1	81.1
	Rarely	9	3.6	8.5	89.6
	Sometimes	6	2.4	5.7	95.3
	Often	3	1.2	2.8	98.1
	Always	2	0.8	1.9	100.0
	Total	106	41.9	100.0	
Missing	System	147	58.1		
Total		253	100.0		

**Students under 21: Purchased alcohol from retailer in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	20	7.9	18.3	18.3
	No	89	35.2	81.7	100.0
	Total	109	43.1	100.0	
Missing	System	144	56.9		
Total		253	100.0		

**Students under 21: Used fake ID in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	3.2	42.1	42.1



	No	11	4.3	57.9	100.0
	Total	19	7.5	100.0	
Missing	System	234	92.5		
Total		253	100.0		

**Students under 21: Used someone else's ID in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	2.0	26.3	26.3
	No	14	5.5	73.7	100.0
	Total	19	7.5	100.0	
Missing	System	234	92.5		
Total		253	100.0		

**Students under 21: Bought without using ID in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	2.0	27.8	27.8
	No	13	5.1	72.2	100.0
	Total	18	7.1	100.0	
Missing	System	235	92.9		
Total		253	100.0		

**Students under 21: Purchased alcohol at bar**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	1.2	15.8	15.8
	1-2 times per year	8	3.2	42.1	57.9
	3-5 times	3	1.2	15.8	73.7
	6-10 times	3	1.2	15.8	89.5
	11 or more times	2	0.8	10.5	100.0
	Total	19	7.5	100.0	
Missing	System	234	92.5		
Total		253	100.0		

**Students under 21: Purchased alcohol at restaurant**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	8	3.2	40.0	40.0
	1-2 times per year	3	1.2	15.0	55.0
	3-5 times	4	1.6	20.0	75.0

	6-10 times	5	2.0	25.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at grocery store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	9	3.6	45.0	45.0
	1-2 times per year	6	2.4	30.0	75.0
	3-5 times	1	0.4	5.0	80.0
	6-10 times	1	0.4	5.0	85.0
	11 or more times	3	1.2	15.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at discount store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	7	2.8	35.0	35.0
	1-2 times per year	5	2.0	25.0	60.0
	3-5 times	1	0.4	5.0	65.0
	6-10 times	2	0.8	10.0	75.0
	11 or more times	5	2.0	25.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at convenience store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	12	4.7	60.0	60.0
	1-2 times per year	3	1.2	15.0	75.0
	3-5 times	1	0.4	5.0	80.0
	6-10 times	2	0.8	10.0	90.0
	11 or more times	2	0.8	10.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at drug store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	14	5.5	70.0	70.0
	1-2 times per year	1	0.4	5.0	75.0
	3-5 times	2	0.8	10.0	85.0
	6-10 times	2	0.8	10.0	95.0
	11 or more times	1	0.4	5.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at liquor store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	10	4.0	50.0	50.0
	1-2 times per year	2	0.8	10.0	60.0
	3-5 times	2	0.8	10.0	70.0
	6-10 times	3	1.2	15.0	85.0
	11 or more times	3	1.2	15.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at winery or micro-brewery**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	15	5.9	75.0	75.0
	1-2 times per year	1	0.4	5.0	80.0
	3-5 times	3	1.2	15.0	95.0
	11 or more times	1	0.4	5.0	100.0
	Total	20	7.9	100.0	
Missing	System	233	92.1		
Total		253	100.0		

**Students under 21: Purchased alcohol at other**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	15	5.9	78.9	78.9
	1-2 times per year	3	1.2	15.8	94.7
	11 or more times	1	0.4	5.3	100.0
	Total	19	7.5	100.0	
Missing	System	234	92.5		

Total	253	100.0
-------	-----	-------

**Any age: Purchased alcohol online or via phone/mail**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	1	0.4	0.9	0.9
	Yes	109	43.1	99.1	100.0
	Total	110	43.5	100.0	
Missing	System	143	56.5		
Total		253	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus housing**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	14	5.5	10.2	10.2
	Somewhat Likely	30	11.9	21.9	32.1
	Somewhat Unlikely	33	13.0	24.1	56.2
	Very Unlikely	38	15.0	27.7	83.9
	Don't Know	22	8.7	16.1	100.0
	Total	137	54.2	100.0	
Missing	System	116	45.8		
Total		253	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus housing**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	8	3.2	5.8	5.8
	Somewhat Likely	14	5.5	10.2	16.1
	Somewhat Unlikely	25	9.9	18.2	34.3
	Very Unlikely	64	25.3	46.7	81.0
	Don't Know	26	10.3	19.0	100.0
	Total	137	54.2	100.0	
Missing	System	116	45.8		
Total		253	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	15	5.9	10.9	10.9

	Somewhat Likely	35	13.8	25.5	36.5
	Somewhat Unlikely	27	10.7	19.7	56.2
	Very Unlikely	37	14.6	27.0	83.2
	Don't Know	23	9.1	16.8	100.0
	Total	137	54.2	100.0	
Missing	System	116	45.8		
Total		253	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	10	4.0	7.4	7.4
	Somewhat Likely	23	9.1	16.9	24.3
	Somewhat Unlikely	22	8.7	16.2	40.4
	Very Unlikely	53	20.9	39.0	79.4
	Don't Know	28	11.1	20.6	100.0
	Total	136	53.8	100.0	
Missing	System	117	46.2		
Total		253	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at athletic event**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	21	8.3	15.3	15.3
	Somewhat Likely	31	12.3	22.6	38.0
	Somewhat Unlikely	12	4.7	8.8	46.7
	Very Unlikely	27	10.7	19.7	66.4
	Don't Know	46	18.2	33.6	100.0
	Total	137	54.2	100.0	
Missing	System	116	45.8		
Total		253	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at other places**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	15	5.9	11.0	11.0
	Somewhat Likely	31	12.3	22.8	33.8
	Somewhat Unlikely	16	6.3	11.8	45.6
	Very Unlikely	22	8.7	16.2	61.8

	Don't Know	52	20.6	38.2	100.0
	Total	136	53.8	100.0	
Missing	System	117	46.2		
Total		253	100.0		

**Perceived number of alcoholic drinks consumed by the typical student at the last party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	0.4	0.4	0.4
	1	8	3.2	3.5	3.9
	2	24	9.5	10.5	14.5
	3	63	24.9	27.6	42.1
	4	49	19.4	21.5	63.6
	5	47	18.6	20.6	84.2
	6	21	8.3	9.2	93.4
	7	4	1.6	1.8	95.2
	8	9	3.6	3.9	99.1
	10	1	0.4	0.4	99.6
	14	1	0.4	0.4	100.0
	Total	228	90.1	100.0	
Missing	System	25	9.9		
Total		253	100.0		

**Perceived percent of students at your school who used alcohol in past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	1	0.4	0.4	0.4
	5%	1	0.4	0.4	0.9
	10%	2	0.8	0.9	1.7
	15%	4	1.6	1.7	3.5
	20%	10	4.0	4.4	7.9
	25%	8	3.2	3.5	11.4
	30%	5	2.0	2.2	13.5
	35%	18	7.1	7.9	21.4
	40%	20	7.9	8.7	30.1
	45%	16	6.3	7.0	37.1
	50%	20	7.9	8.7	45.9
	55%	5	2.0	2.2	48.0
	60%	21	8.3	9.2	57.2
	65%	18	7.1	7.9	65.1

	70%	20	7.9	8.7	73.8
	75%	20	7.9	8.7	82.5
	80%	21	8.3	9.2	91.7
	85%	13	5.1	5.7	97.4
	90%	4	1.6	1.7	99.1
	95%	2	0.8	0.9	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

---

**Had your belongings or property damaged in the past year because of other students drinking**

---

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	206	81.4	90.0	90.0
	Once	14	5.5	6.1	96.1
	2-3 times	7	2.8	3.1	99.1
	4 or more times	2	0.8	0.9	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

---

**Had to take care of another student who drank too much in the past year**

---

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	94	37.2	41.0	41.0
	Once	40	15.8	17.5	58.5
	2-3 times	69	27.3	30.1	88.6
	4 or more times	26	10.3	11.4	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

---

**Found vomit in the halls or other areas of your residence in the past year**

---

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	177	70.0	77.3	77.3
	Once	25	9.9	10.9	88.2
	2-3 times	22	8.7	9.6	97.8
	4 or more times	5	2.0	2.2	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		

Total	253	100.0
-------	-----	-------

**Had your studying or sleep interrupted because of other students drinking in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	144	56.9	62.9	62.9
	Once	36	14.2	15.7	78.6
	2-3 times	35	13.8	15.3	93.9
	4 or more times	14	5.5	6.1	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Had to act as a designated driver for another student in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	143	56.5	62.7	62.7
	Once	39	15.4	17.1	79.8
	2-3 times	34	13.4	14.9	94.7
	4 or more times	12	4.7	5.3	100.0
	Total	228	90.1	100.0	
Missing	System	25	9.9		
Total		253	100.0		

**How do you think your close friends feel about you having five or more alcoholic drinks in one sitting?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	54	21.3	23.6	23.6
	Somewhat disapprove	50	19.8	21.8	45.4
	Neither approve or disapprove	74	29.2	32.3	77.7
	Somewhat approve	30	11.9	13.1	90.8
	Strongly approve	21	8.3	9.2	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**How do you think your close friends feel about you using prescription medication not prescribed to you?**



		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	146	57.7	63.8	63.8
	Somewhat disapprove	43	17.0	18.8	82.5
	Neither approve or disapprove	30	11.9	13.1	95.6
	Somewhat approve	7	2.8	3.1	98.7
	Strongly approve	3	1.2	1.3	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**How do you think your close friends feel about you using marijuana?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	73	28.9	31.9	31.9
	Somewhat disapprove	37	14.6	16.2	48.0
	Neither approve or disapprove	71	28.1	31.0	79.0
	Somewhat approve	20	7.9	8.7	87.8
	Strongly approve	28	11.1	12.2	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Number of days in past month that mental health was not good**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	37	14.6	16.2	16.2
	1	9	3.6	3.9	20.1
	2	23	9.1	10.0	30.1
	3	15	5.9	6.6	36.7
	4	12	4.7	5.2	41.9
	5	25	9.9	10.9	52.8
	6	12	4.7	5.2	58.1
	7	12	4.7	5.2	63.3
	8	5	2.0	2.2	65.5
	9	2	0.8	0.9	66.4
	10	16	6.3	7.0	73.4
	11	3	1.2	1.3	74.7
	12	2	0.8	0.9	75.5
	13	2	0.8	0.9	76.4
	14	1	0.4	0.4	76.9

15		14	5.5	6.1	83.0
16		1	0.4	0.4	83.4
17		1	0.4	0.4	83.8
18		2	0.8	0.9	84.7
20		14	5.5	6.1	90.8
21		1	0.4	0.4	91.3
22		2	0.8	0.9	92.1
23		1	0.4	0.4	92.6
24		1	0.4	0.4	93.0
25		5	2.0	2.2	95.2
26		1	0.4	0.4	95.6
27		1	0.4	0.4	96.1
28		1	0.4	0.4	96.5
29		1	0.4	0.4	96.9
30		6	2.4	2.6	99.6
Don't know, not sure		1	0.4	0.4	100.0
Total		229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

#### Felt sad or hopeless in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	67	26.5	29.4	29.4
	No	161	63.6	70.6	100.0
	Total	228	90.1	100.0	
Missing	System	25	9.9		
Total		253	100.0		

#### Seriously considered attempting suicide in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	33	13.0	14.5	14.5
	No	194	76.7	85.5	100.0
	Total	227	89.7	100.0	
Missing	System	26	10.3		
Total		253	100.0		

#### Identify as sober and in recovery from alcohol or drug addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	1.2	1.3	1.3

	No	226	89.3	98.7	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Card games**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	212	83.8	92.6	92.6
	Less than once a month	15	5.9	6.6	99.1
	1-3 times per month	2	0.8	0.9	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Games of skill**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	213	84.2	93.0	93.0
	Less than once a month	13	5.1	5.7	98.7
	1-3 times per month	3	1.2	1.3	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Sports/Fantasy leagues**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	211	83.4	92.1	92.1
	Less than once a month	16	6.3	7.0	99.1
	1-3 times per month	2	0.8	0.9	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Lottery**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	179	70.8	78.2	78.2
	Less than once a month	43	17.0	18.8	96.9
	1-3 times per month	7	2.8	3.1	100.0

	Total	229	90.5	100.0
Missing	System	24	9.5	
Total		253	100.0	

**Gambling in past year: Bingo**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	223	88.1	97.4	97.4
	Less than once a month	5	2.0	2.2	99.6
	1-3 times per month	1	0.4	0.4	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Gambled on-line**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	229	90.5	100.0	100.0
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Personal challenges**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	194	76.7	85.1	85.1
	Less than once a month	28	11.1	12.3	97.4
	1-3 times per month	3	1.2	1.3	98.7
	Once a week or more	3	1.2	1.3	100.0
	Total	228	90.1	100.0	
Missing	System	25	9.9		
Total		253	100.0		

**Gambling in past year: Gambled at a casino**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	208	82.2	91.2	91.2
	Less than once a month	18	7.1	7.9	99.1
	1-3 times per month	2	0.8	0.9	100.0
	Total	228	90.1	100.0	
Missing	System	25	9.9		
Total		253	100.0		

**Gambling in past year: Gambled at informal locations**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	229	90.5	100.0	100.0
Missing	System	24	9.5		
Total		253	100.0		

**Gambling in past year: Other ways**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	217	85.8	94.8	94.8
	Less than once a month	11	4.3	4.8	99.6
	1-3 times per month	1	0.4	0.4	100.0
	Total	229	90.5	100.0	
Missing	System	24	9.5		
Total		253	100.0		

**Location where you gambled most frequently in past year (besides online or lottery)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I only gambled online or playing the lottery	22	8.7	28.2	28.2
	Apartment/House	16	6.3	20.5	48.7
	Residence hall	1	0.4	1.3	50.0
	Fraternity/Sorority	2	0.8	2.6	52.6
	Other campus housing	1	0.4	1.3	53.8
	Casino	15	5.9	19.2	73.1
	Other	21	8.3	26.9	100.0
	Total	78	30.8	100.0	
Missing	System	175	69.2		
Total		253	100.0		

**Consequences of gambling: Academic problems**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	86	34.0	100.0	100.0
Missing	System	167	66.0		
Total		253	100.0		

**Consequences of gambling: Issues with legal system**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	86	34.0	100.0	100.0
Missing	System	167	66.0		
Total		253	100.0		

**Consequences of gambling: Lost possessions or money**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	77	30.4	89.5	89.5
	Occasionally	9	3.6	10.5	100.0
	Total	86	34.0	100.0	
Missing	System	167	66.0		
Total		253	100.0		

**Consequences of gambling: Felt bad about gambling**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	83	32.8	97.6	97.6
	Occasionally	2	0.8	2.4	100.0
	Total	85	33.6	100.0	
Missing	System	168	66.4		
Total		253	100.0		

**Consequences of gambling: Poor health**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	86	34.0	100.0	100.0
Missing	System	167	66.0		
Total		253	100.0		

**Consequences of gambling: Issues with friends and family**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	86	34.0	100.0	100.0
Missing	System	167	66.0		
Total		253	100.0		

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 21	156	61.7	61.7	61.7
	21 or older	97	38.3	38.3	100.0
	Total	253	100.0	100.0	

**Number of times student binge drank during the last two weeks - out of all students**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	156	61.7	64.7	64.7
	1	27	10.7	11.2	75.9
	2	23	9.1	9.5	85.5
	3	11	4.3	4.6	90.0
	4	12	4.7	5.0	95.0
	5	6	2.4	2.5	97.5
	6	2	0.8	0.8	98.3
	7	2	0.8	0.8	99.2
	9	1	0.4	0.4	99.6
	10 or more times	1	0.4	0.4	100.0
	Total	241	95.3	100.0	
Missing	System	12	4.7		
Total		253	100.0		