Indiana College Substance Use Survey

2017

Summary Report by Age Categories





Results of the Indiana College Substance Use Survey 2017

Summary Report by Age Categories

Indiana Prevention Resource Center 501 N. Morton St., Suite 110 Bloomington, Indiana 47404 www.drugs.indiana.edu

Funded by the Indiana Family and Social Services Administration,
Division of Mental Health and Addiction
through a contract with the Indiana Collegiate Action Network

Table of Contents

Introduction	1
Key Findings	2
Substance Use	2
Prevalence of Substance Use	2
Levels of Alcohol Consumption	4
Location and Type of Alcohol Use	6
Reasons for Alcohol Use	8
Consequences of Alcohol Use	9
Risk Factors	11
Perception of Peer Behaviors and Beliefs	11
Mental Health	13
Gambling Behavior	14
Characteristics of Survey Participants	17
Frequency Tables	19

List of Tables

Table 1.	Response Rate, 2017
Table 2.	Number of Usable Questionnaires, 2017
Table 3.	Percentage of Students Reporting Use of Select Substances in the Past Month, by Age, 2017
Table 4.	Percentage of Students Reporting Use of Electronic Vapor Products for Selected Substances, by Age, 2017
Table 5.	Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Age, 20174
Table 6.	Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Age, 2017
Table 7.	Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Age, 2017
Table 8.	Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Age, 2017
Table 9.	Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Age, 2017
Table 10	Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Age, 201710
Table 11	. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Age, 201710
Table 12	Perceived Percentage of Students at Your School Who Used Alcohol in the Past Month, by Age of Respondent, 201711
Table 13	. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Age, 2017 (range = $0-30$)11
Table 14	Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Age, 2017
Table 15	. Mean Number of Mentally Unhealthy Days During the Past Month, by Age, 2017 (range = 0 – 30)
Table 16	Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Age, 2017

Table 17.	Percentage of Students Who Reported Select Gambling Behaviors in the Past Year, by Age, 201714
	Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, 2017
Table 19.	Demographic Characteristics of Survey Participants, 2017

List of Figures

Figure 1.	Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Age, 2017
Figure 2.	Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Age, 2017
Figure 3.	Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2017
Figure 4.	Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Age, 2017
Figure 5.	Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Age, 201713
Figure 6.	Percentage of Students Who Reported Any Gambling Behaviors or Consequences in the Past Year, by Age, 2017
Figure 7.	Percentage of Students Who Reported Weekly or More Frequent Gambling in Select Gambling Categories in the Past Year, by Age, 2017
Figure 8.	Percentage of Students Who Gambled in the Past Year, Who Reported Select Locations as Their Most Frequent Gambling Location, by Age, 2017

INTRODUCTION

The Indiana College Substance Use Survey was administered in Spring 2017. A total of 67,348 Indiana students were sent an e-mail inviting them to participate in the survey. Students were given a two-week period to complete the online questionnaire. A reminder e-mail was sent midway through the survey period. 7,224 students responded to the survey, for a response rate of 10.7%. This report provides analysis of the data by three age categories; 18-20 years, 21-25 years, and 26 or more years. A description of the history and methodology of the Indiana College Substance Use Survey, as well as a more in-depth analysis of the data can be found in the *Results of the Indiana College Substance Use Survey*, 2017, at http://drugs.indiana.edu/indiana-college-survey/substance-use-survey.

Table 1. Response Rate, 2017

Number of students invited to participate	Number of respondents	Response Rate
67,348	7,224	10.7%

Three criteria were used to clean the data. Surveys were discarded if any of the following conditions were met:

- insufficient response (less than 25 items answered)
- inconsistent responses on three or more of the substance use items
- pharmacologically-implausible patterns of use (i.e., a combination of drugs and frequencies of use whose cumulative effect would be lethal)

A total of 291 surveys were rejected due to meeting at least one of the criteria, leaving 6,933 usable surveys (96.0%).

Table 2. Number of Usable Questionnaires, 2017

	Frequency	Percent
Insufficientresponse	254	3.5
Inconsistentresponses	14	0.3
Implausible substance use	23	0.3
Total number of usable surveys	6,933	96.0
Total	7,224	100.0

KEY FINDINGS

SUBSTANCE USE

Prevalence of Substance Use

Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Age, 2017

Substance	Age		
Substance	18 - 20	21 - 25	26 or older
Alcohol	51.0	74.0	55.0
Marijuana	21.8	21.3	10.6
Cigarettes	14.0	19.7	25.2
Electronic vapor products	13.6	10.0	8.1
Cigars	8.2	7.9	5.5
Smoking tobacco with hookah/water pipe	6.9	8.3	2.5
Chewing/smokeless tobacco	3.5	5.2	3.9
Prescription stimulants not prescribed to you	4.2	5.7	1.8
Prescription painkillers not prescribed to you	1.9	2.6	2.5
Prescription sedatives not prescribed to you	1.7	2.3	1.6
Hallucinogens	3.6	2.8	1.5
Cocaine	2.1	2.9	1.5
Inhalants	1.0	1.0	0.7
Heroin	0.4	0.4	0.4
Methamphetamine	0.4	0.3	0.8
Other illegaldrugs	0.6	0.5	0.4

Table 4. Percentage of Students Reporting Use of Electronic Vapor Products for Selected Substances, by Age, 2017

Substance		Age	
Substance	18 - 20	21 - 25	26 or older
Nicotine	65.2	76.5	90.6
THC	35.9	35.6	20.6
Alcohol	2.3	2.8	2.2
Other	10.9	4.9	2.1

Note. Out of students who reported ever using electronic vapor products (n = 2,112)

LEVELS OF ALCOHOL CONSUMPTION

Table 5. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Age, 2017

	Age	
18 - 20	21 - 25	26 or older
28.5	40.6	18.3

Note. Binge drinking was defined as consuming four or more drinks in one sitting for female students and five or more drinks in one sitting for male students.

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Age, 2017.





Table 6. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Age, 2017

		Age	
	18 - 20	21 - 25	26 or older
Mean	4.0	3.5	2.6
Standard Deviation	2.8	2.6	2.2

Note. Out of students who reported ever drinking alcohol (n = 5,634). Range = 0-15.


Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Age, 2017



Note. Out of students who reported ever drinking alcohol (n = 5,634).

LOCATION AND TYPE OF ALCOHOL USE

Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2017



Note. Out of students who reported ever drinking alcohol (n = 5,634). Responses of drinking alcohol at select location "sometimes, "often", or "always" are included.

Table 7. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Age, 2017

Tuno	Age		
Туре	18 - 20	21 - 25	26 or older
Liquor	62.3	63.4	36.7
Beer	44.2	54.6	37.0
Wine	39.0	50.7	42.0
Maltbeverages	34.7	32.3	14.6
High alcohol drinks	13.5	11.5	4.4
Other	10.7	9.9	6.4

Note. Out of students who reported ever drinking alcohol (n = 5,634). Responses of drinking select type of alcohol "sometimes, "often", or "always" are included.

REASONS FOR ALCOHOL USE

Table 8. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Age, 2017

Paggan	Age		
Reason	18 - 20	21 - 25	26 or older
To have a good time with friends	84.5	87.4	65.1
To relax	51.8	64.8	55.7
To experiment	34.0	17.4	4.5
Because of boredom	22.4	19.7	7.2
To get away from my problems	14.6	15.2	8.3
Because of anger/frustration	11.9	15.2	11.0
To get through the day	4.4	5.7	3.0
Because I'm hooked	1.9	2.8	1.2

Note: Out of students who reported ever drinking alcohol (n = 5,634).

CONSEQUENCES OF ALCOHOL USE

Table 9. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Age, 2017

C. batana		Age	
Substance -	18 - 20	21 - 25	26 or older
Had a hangover	52.5	60.1	32.4
Forgot where you were or what you did (blacked out)	28.4	26.2	6.2
Felt bad or guilty about your drinking	27.7	26.6	11.8
Did something you later regretted	27.9	24.4	8.4
Engaged in unprotected sexual intercourse (i.e., without a condom)	15.7	19.7	9.6
Missed class or an assignment	13.2	15.7	3.2
Had friends or family members worry or complain about your drinking	11.7	11.3	7.8
Created problems between you and your friends or family members	10.8	11.7	2.8
Been hurt or injured because of drinking	10.8	10.8	4.2
Driven a car while under the influence	7.4	12.2	4.7
Been introuble with police, residence hall, or other college authorities	5.7	2.3	0.8
Gotten into physical fights when drinking	4.3	5.1	2.3
Gotten into trouble at work or college because of drinking	4.6	2.1	1.1
Been ticketed	1.9	1.2	1.1
Been arrested for drunk driving	0.4	0.7	1.0

Note. Out of students who reported ever drinking alcohol (n = 5,634).

Table 10. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Age, 2017

	Age		
	18 - 20	21 - 25	26 or older
Experienced unwanted sexual activity	4.4	3.2	0.5
Took advantage of someone sexually	0.6	0.6	0.3

Note. Out of students who reported ever drinking alcohol (n = 5,634).

Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Age, 2017

Substance -	Age		
Substance	18 - 20	21 - 25	26 or older
Had to take care of another student who drank too much	46.9	40.6	5.2
Had your studying or sleep interrupted	33.5	28.1	3.7
Had to act as a designated driver for another student because he or she drank	27.7	30.6	5.8
Found vomit in the halls or other areas of your residence	30.1	18.7	0.8
Had your belongings or property damaged	12.2	12.9	2.0

RISK FACTORS

PERCEPTION OF PEER BEHAVIORS AND BELIEFS

Table 12. Perceived Percentage of Students at Your School Who Used Alcohol in the Past Month, by Age of Respondent, 2017

Perceived percent		Age	
who use alcohol	18 - 20	21 - 25	26 or older
0% - 25%	16.1	13.1	26.1
26% - 50%	27.2	26.4	29.6
51% - 75%	40.6	38.6	29.3
76% - 100%	16.1	22.0	15.0

Table 13. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Age, 2017 (range = 0-30)

	Age		
	18 - 20	21 - 25	26 or older
Mean	4.4	4.4	3.8
Standard Deviation	2.4	2.4	2.6

Figure 4. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Age, 2017




Table 14. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Age, 2017

Substances, by Age, 2017		Age	
Substance -	18 - 20	21 - 25	26 or older
Having five or more alcoholic drinks in one sitting	46.1	36.7	54.7
Using marijuana	47.0	46.4	64.4
Using prescription medication not prescribed to you	82.4	78.8	84.4

Note: Responses of "Strongly Disapprove" or "Somewhat Disapprove" are included.


MENTAL HEALTH

Table 15. Mean Number of Mentally Unhealthy Days During the Past Month, by Age, 2017 (range = 0 - 30)

	Age		
	18 - 20	21 - 25	26 or older
Mean	7.6	6.8	5.9
Standard Deviation	8.6	8.1	8.3

Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Figure 5. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Age, 2017



Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Table 16. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Age, 2017

	Age		
	18 - 20	21 - 25	26 or older
Felt sad or hopeless	28.9	27.8	23.2
Seriously considered attempting suicide	11.4	9.2	6.2

Note: Sadness survey question: "During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?"

GAMBLING BEHAVIOR

Figure 6. Percentage of Students Who Reported Any Gambling Behaviors or Consequences in the Past Year, by Age, 2017




Table 17. Percentage of Students Who Reported Select Gambling Behaviors in the Past Year, by Age, 2017

Substance -		Age	
Substance	18 - 20	21 - 25	26 or older
Lottery	20.4	24.0	39.6
Personal challenges/dares	15.8	11.1	4.9
Card games	8.7	13.4	9.0
Sports	9.3	9.8	7.4
At a casino	1.9	17.0	18.2
Personal games of skill	8.4	10.1	5.9
Bingo	4.1	5.1	7.2
Onlinegambling	1.5	1.4	1.2
At informal locations	0.6	0.7	8.0
Bet/gambled in other ways	4.8	4.7	3.2

Figure 7. Percentage of Students Who Reported Weekly or More Frequent Gambling in Select Gambling Categories in the Past Year, by Age, 2017





Figure 8. Percentage of Students Who Gambled in the Past Year, Who Reported Select Locations as Their Most Frequent Gambling Location, by Age, 2017



Note. Does not include students who only gambled online or playing the lottery (n = 1,649).

Table 18. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, 2017

Substance -		Age	
Substance	18 - 20	21 - 25	26 or older
Lost possessions or money	16.9	17.1	12.4
Felt bad about gambling	5.3	8.9	8.0
Issues with friends and family	2.5	1.2	1.5
Academic problems	2.2	1.2	0.8
Poor health	2.2	1.8	1.7
Issues with legal system	1.2	0.2	0.2

Note: n = 2,761.

CHARACTERISTICS OF SURVEY PARTICIPANTS

Table 19. Demographic Characteristics of Survey Participants, 2017

able 19. Demographic Characteristics of Survey Participants, 2017				
	Frequency	Percent		
Gender				
Male	2,358	34.0		
Female	4,525	65.3		
Transgender	50	0.7		
Age				
18 - 20	2776	40.0		
21 - 25	2038	29.4		
26 or older	2119	30.6		
Race				
White	5,648	81.5		
Black/African American	392	5.7		
Asian	333	4.8		
Native American/Alaskan Native	32	0.5		
Hawaiian/Pacific Islander	14	0.2		
More than one race	268	3.9		
Other	221	3.2		
No answer	25	0.4		
Ethnicity				
Hispanic	461	6.6		
Non-Hispanic	6,452	93.1		
No answer	20	0.3		

Table 19 (continued)

Table 13 (continued)		
	Frequency	Percent
Classification		
1 st year undergraduate	2,038	29.4
2 nd year undergraduate	1,956	28.2
3 rd year undergraduate	1,069	15.4
4 th year undergraduate	789	11.4
5 th year or more undergraduate	363	5.2
Grad/professional	509	7.3
Not seeking degree	83	1.2
Other	107	1.5
No answer	19	0.3
Student status		
Full-time	5,338	77.0
Part-time	1,581	22.8
No answer	14	0.2
Location of residence		
Fraternity/sorority house	339	4.9
Campus residence hall	1,623	23.4
Other on-campus housing	370	5.3
Off-campus	4,566	65.9
No answer	35	0.5
Greek affiliation		
Yes	1,012	14.6
No	5,903	85.1
No answer	18	0.3

Frequency Tables

Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	650	9.4	9.4	9.4
	19	1139	16.4	16.4	25.8
	20	987	14.2	14.2	40.0
	21	785	11.3	11.3	51.4
	22	572	8.3	8.3	59.6
	23	294	4.2	4.2	63.9
	24	203	2.9	2.9	66.8
	25	184	2.7	2.7	69.4
	26 or older	2119	30.6	30.6	100.0
	Total	6933	100.0	100.0	

Ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Hispanic	461	6.6	6.7	6.7
	Non-Hispanic	6452	93.1	93.3	100.0
	Total	6913	99.7	100.0	
Missing	System	20	.3		
Total		6933	100.0		

Race

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White	5648	81.5	81.8	81.8
	Black/African-American	392	5.7	5.7	87.4
	Asian	333	4.8	4.8	92.3
	Native American/Alaskan Native	32	.5	.5	92.7
	Hawaiian/Pacific Islander	14	.2	.2	92.9
	More than one race	268	3.9	3.9	96.8
	Other	221	3.2	3.2	100.0
	Total	6908	99.6	100.0	
Missing	System	25	.4		
Total		6933	100.0		

Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	2358	34.0	34.0	34.0
	Female	4525	65.3	65.3	99.3
	Transgender	50	.7	.7	100.0
	Total	6933	100.0	100.0	

Sexual orientation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Heterosexual or straight	6038	87.1	87.5	87.5
	Homosexual, gay, lesbian, queer	225	3.2	3.3	90.7
	Bisexual	424	6.1	6.1	96.9
	Other	101	1.5	1.5	98.3
	Don't Know/Not Sure/Questioning	116	1.7	1.7	100.0
	Total	6904	99.6	100.0	
Missing	System	29	.4		
Total		6933	100.0		

Student status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time	5338	77.0	77.1	77.1
	Part-time	1581	22.8	22.9	100.0
	Total	6919	99.8	100.0	
Missing	System	14	.2		
Total		6933	100.0		

Year in school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1st year undergraduate	2038	29.4	29.5	29.5
	2nd year undergraduate	1956	28.2	28.3	57.8
	3rd year undergraduate	1069	15.4	15.5	73.2
	4th year undergraduate	789	11.4	11.4	84.6
	5th year or more undergraduate	363	5.2	5.3	89.9
	Graduate or professional student	509	7.3	7.4	97.3
	Not seeking a degree	83	1.2	1.2	98.5
	Other	107	1.5	1.5	100.0
	Total	6914	99.7	100.0	
Missing	System	19	.3		
Total		6933	100.0		-

Location of residence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fraternity or sorority house	339	4.9	4.9	4.9
	Campus residence hall	1623	23.4	23.5	28.4
	Other on-campus housing	370	5.3	5.4	33.8
	Off campus	4566	65.9	66.2	100.0
	Total	6898	99.5	100.0	
Missing	System	35	.5		
Total		6933	100.0		

Member of fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1012	14.6	14.6	14.6
	No	5903	85.1	85.4	100.0
	Total	6915	99.7	100.0	
Missing	System	18	.3		
Total		6933	100.0		

Served on active duty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	210	3.0	3.0	3.0
	No	6709	96.8	97.0	100.0
	Total	6919	99.8	100.0	
Missing	System	14	.2		
Total		6933	100.0		

Number of times in the past month substance was used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	4005	57.8	57.9	57.9
	Have used but not in past 30 days	1595	23.0	23.0	80.9
	1-2 occasions	344	5.0	5.0	85.9
	3-5 occasions	137	2.0	2.0	87.9
	6-9 occasions	94	1.4	1.4	89.2
	10-19 occasions	94	1.4	1.4	90.6
	20-39 occasions	119	1.7	1.7	92.3
	40 or more occasions	532	7.7	7.7	100.0
	Total	6920	99.8	100.0	
Missing	System	13	.2		
Total		6933	100.0		

Number of times in the past month substance was used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	4794	69.1	70.0	70.0
	Have used but not in past 30 days	1553	22.4	22.7	92.7
	1-2 occasions	300	4.3	4.4	97.1
	3-5 occasions	87	1.3	1.3	98.4
	6-9 occasions	29	.4	.4	98.8
	10-19 occasions	38	.5	.6	99.4
	20-39 occasions	18	.3	.3	99.6
	40 or more occasions	26	.4	.4	100.0
	Total	6845	98.7	100.0	
Missing	System	88	1.3		
Total		6933	100.0		

Number of times in the past month substance was used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	5909	85.2	86.1	86.1
	Have used but not in past 30 days	671	9.7	9.8	95.9
	1-2 occasions	79	1.1	1.2	97.0
	3-5 occasions	39	.6	.6	97.6
	6-9 occasions	19	.3	.3	97.9
	10-19 occasions	34	.5	.5	98.4
	20-39 occasions	22	.3	.3	98.7
	40 or more occasions	89	1.3	1.3	100.0
	Total	6862	99.0	100.0	
Missing	System	71	1.0		
Total		6933	100.0		

Number of times in the past month substance was used: Smoking tobacco with hookah/water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	5001	72.1	73.0	73.0
	Have used but not in past 30 days	1443	20.8	21.1	94.0
	1-2 occasions	200	2.9	2.9	97.0
	3-5 occasions	82	1.2	1.2	98.1
	6-9 occasions	48	.7	.7	98.8
	10-19 occasions	34	.5	.5	99.3
	20-39 occasions	19	.3	.3	99.6
	40 or more occasions	26	.4	.4	100.0
	Total	6853	98.8	100.0	
Missing	System	80	1.2		
Total		6933	100.0		

Number of times in the past month substance was used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	4762	68.7	69.3	69.3
	Have used but not in past 30 days	1366	19.7	19.9	89.1
	1-2 occasions	257	3.7	3.7	92.9
	3-5 occasions	106	1.5	1.5	94.4
	6-9 occasions	70	1.0	1.0	95.4
	10-19 occasions	80	1.2	1.2	96.6
	20-39 occasions	39	.6	.6	97.2
	40 or more occasions	194	2.8	2.8	100.0
	Total	6874	99.1	100.0	
Missing	System	59	.9		
Total		6933	100.0		

Number of times in the past month substance was used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	1175	16.9	17.3	17.3
	Have used but not in past 30 days	1613	23.3	23.7	40.9
	1-2 occasions	1252	18.1	18.4	59.3
	3-5 occasions	967	13.9	14.2	73.5
	6-9 occasions	604	8.7	8.9	82.4
	10-19 occasions	534	7.7	7.8	90.2
	20-39 occasions	252	3.6	3.7	93.9
	40 or more occasions	412	5.9	6.1	100.0
	Total	6809	98.2	100.0	
Missing	System	124	1.8		
Total		6933	100.0		

Number of times in the past month substance was used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	3999	57.7	58.1	58.1
	Have used but not in past 30 days	1629	23.5	23.7	81.8
	1-2 occasions	375	5.4	5.4	87.2
	3-5 occasions	164	2.4	2.4	89.6
	6-9 occasions	121	1.7	1.8	91.3
	10-19 occasions	152	2.2	2.2	93.6
	20-39 occasions	142	2.0	2.1	95.6
	40 or more occasions	302	4.4	4.4	100.0
	Total	6884	99.3	100.0	
Missing	System	49	.7		
Total		6933	100.0		

Number of times in the past month substance was used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6325	91.2	91.7	91.7
	Have used but not in past 30 days	427	6.2	6.2	97.8
	1-2 occasions	95	1.4	1.4	99.2
	3-5 occasions	21	.3	.3	99.5
	6-9 occasions	8	.1	.1	99.6
	10-19 occasions	14	.2	.2	99.8
	20-39 occasions	8	.1	.1	100.0
	40 or more occasions	3	.0	.0	100.0
	Total	6901	99.5	100.0	
Missing	System	32	.5		
Total		6933	100.0		

Number of times in the past month substance was used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6099	88.0	88.4	88.4
	Have used but not in past 30 days	610	8.8	8.8	97.3
	1-2 occasions	126	1.8	1.8	99.1
	3-5 occasions	25	.4	.4	99.5
	6-9 occasions	16	.2	.2	99.7
	10-19 occasions	13	.2	.2	99.9
	20-39 occasions	3	.0	.0	99.9
	40 or more occasions	5	.1	.1	100.0
	Total	6897	99.5	100.0	
Missing	System	36	.5		
Total		6933	100.0		

Number of times in the past month substance was used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6754	97.4	98.0	98.0
	Have used but not in past 30 days	107	1.5	1.6	99.6
	1-2 occasions	10	.1	.1	99.7
	3-5 occasions	4	.1	.1	99.8
	6-9 occasions	5	.1	.1	99.9
	10-19 occasions	3	.0	.0	99.9
	20-39 occasions	1	.0	.0	99.9
	40 or more occasions	5	.1	.1	100.0
	Total	6889	99.4	100.0	
Missing	System	44	.6		
Total		6933	100.0		

Number of times in the past month substance was used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6699	96.6	97.0	97.0
	Have used but not in past 30 days	169	2.4	2.4	99.5
	1-2 occasions	12	.2	.2	99.7
	3-5 occasions	7	.1	.1	99.8
	6-9 occasions	6	.1	.1	99.9
	10-19 occasions	3	.0	.0	99.9
	20-39 occasions	4	.1	.1	100.0
	40 or more occasions	3	.0	.0	100.0
	Total	6903	99.6	100.0	
Missing	System	30	.4		
Total		6933	100.0		

Number of times in the past month substance was used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6563	94.7	95.1	95.1
	Have used but not in past 30 days	270	3.9	3.9	99.1
	1-2 occasions	32	.5	.5	99.5
	3-5 occasions	13	.2	.2	99.7
	6-9 occasions	7	.1	.1	99.8
	10-19 occasions	8	.1	.1	99.9
	20-39 occasions	2	.0	.0	100.0
	40 or more occasions	3	.0	.0	100.0
	Total	6898	99.5	100.0	
Missing	System	35	.5		
Total		6933	100.0		

Number of times in the past month substance was used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6073	87.6	87.9	87.9
	Have used but not in past 30 days	568	8.2	8.2	96.1
	1-2 occasions	116	1.7	1.7	97.8
	3-5 occasions	60	.9	.9	98.7
	6-9 occasions	33	.5	.5	99.1
	10-19 occasions	25	.4	.4	99.5
	20-39 occasions	19	.3	.3	99.8
	40 or more occasions	16	.2	.2	100.0
	Total	6910	99.7	100.0	
Missing	System	23	.3		
Total		6933	100.0		

Number of times in the past month substance was used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6143	88.6	88.9	88.9
	Have used but not in past 30 days	607	8.8	8.8	97.7
	1-2 occasions	65	.9	.9	98.7
	3-5 occasions	30	.4	.4	99.1
	6-9 occasions	21	.3	.3	99.4
	10-19 occasions	14	.2	.2	99.6
	20-39 occasions	10	.1	.1	99.8
	40 or more occasions	17	.2	.2	100.0
	Total	6907	99.6	100.0	
Missing	System	26	.4		
Total		6933	100.0		

Number of times in the past month substance was used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6298	90.8	91.1	91.1
	Have used but not in past 30 days	489	7.1	7.1	98.1
	1-2 occasions	60	.9	.9	99.0
	3-5 occasions	22	.3	.3	99.3
	6-9 occasions	17	.2	.2	99.6
	10-19 occasions	12	.2	.2	99.8
	20-39 occasions	6	.1	.1	99.8
	40 or more occasions	11	.2	.2	100.0
	Total	6915	99.7	100.0	
Missing	System	18	.3		
Total		6933	100.0		

Number of times in the past month substance was used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	6517	94.0	94.8	94.8
	Have used but not in past 30 days	320	4.6	4.7	99.5
	1-2 occasions	11	.2	.2	99.6
	3-5 occasions	7	.1	.1	99.7
	6-9 occasions	3	.0	.0	99.8
	10-19 occasions	6	.1	.1	99.9
	20-39 occasions	1	.0	.0	99.9
	40 or more occasions	8	.1	.1	100.0
	Total	6873	99.1	100.0	
Missing	System	60	.9		
Total		6933	100.0		

Used electronic vapor product for nicotine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1558	22.5	75.0	75.0
	No	518	7.5	25.0	100.0
	Total	2076	29.9	100.0	
Missing	System	4857	70.1		
Total		6933	100.0		

Used electronic vapor product for THC

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	657	9.5	32.1	32.1
	No	1391	20.1	67.9	100.0
	Total	2048	29.5	100.0	
Missing	System	4885	70.5		
Total		6933	100.0		

Used electronic vapor product for alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	49	.7	2.4	2.4
	No	1977	28.5	97.6	100.0
	Total	2026	29.2	100.0	
Missing	System	4907	70.8		
Total		6933	100.0		

Used electronic vapor product for other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	132	1.9	6.8	6.8
	No	1808	26.1	93.2	100.0
	Total	1940	28.0	100.0	
Missing	System	4993	72.0		
Total		6933	100.0		

Age when first used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	2263	32.6	78.9	78.9
	After starting college	604	8.7	21.1	100.0
	Total	2867	41.4	100.0	
Missing	System	4066	58.6		
Total		6933	100.0		

Age when first used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1440	20.8	73.0	73.0
	After starting college	532	7.7	27.0	100.0
	Total	1972	28.4	100.0	
Missing	System	4961	71.6		
Total		6933	100.0		

Age when first used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	696	10.0	79.2	79.2
	After starting college	183	2.6	20.8	100.0
	Total	879	12.7	100.0	
Missing	System	6054	87.3		
Total		6933	100.0		

Age when first used: Smoking tobacco with hookah or water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1177	17.0	66.6	66.6
	After starting college	591	8.5	33.4	100.0
	Total	1768	25.5	100.0	
Missing	System	5165	74.5		
Total		6933	100.0		

Age when first used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1246	18.0	62.1	62.1
	After starting college	760	11.0	37.9	100.0
	Total	2006	28.9	100.0	
Missing	System	4927	71.1		
Total		6933	100.0		

Age when first used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	4132	59.6	72.9	72.9
	After starting college	1538	22.2	27.1	100.0
	Total	5670	81.8	100.0	
Missing	System	1263	18.2		
Total		6933	100.0		

Age when first used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	2102	30.3	74.3	74.3
	After starting college	728	10.5	25.7	100.0
	Total	2830	40.8	100.0	
Missing	System	4103	59.2		
Total		6933	100.0		

Age when first used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	308	4.4	57.5	57.5
	After starting college	228	3.3	42.5	100.0
	Total	536	7.7	100.0	
Missing	System	6397	92.3		
Total		6933	100.0		

Age when first used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	421	6.1	55.2	55.2
	After starting college	341	4.9	44.8	100.0
	Total	762	11.0	100.0	
Missing	System	6171	89.0		
Total		6933	100.0		

Age when first used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	80	1.2	71.4	71.4
	After starting college	32	.5	28.6	100.0
	Total	112	1.6	100.0	
Missing	System	6821	98.4		
Total		6933	100.0		

Age when first used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	134	1.9	74.9	74.9
	After starting college	45	.6	25.1	100.0
	Total	179	2.6	100.0	
Missing	System	6754	97.4		
Total		6933	100.0		

Age when first used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	226	3.3	74.3	74.3
	After starting college	78	1.1	25.7	100.0
	Total	304	4.4	100.0	
Missing	System	6629	95.6		
Total		6933	100.0		

Age when first used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	419	6.0	52.6	52.6
	After starting college	378	5.5	47.4	100.0
	Total	797	11.5	100.0	
Missing	System	6136	88.5		
Total		6933	100.0		

Age when first used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	524	7.6	73.3	73.3
	After starting college	191	2.8	26.7	100.0
	Total	715	10.3	100.0	
Missing	System	6218	89.7		
Total		6933	100.0		

Age when first used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	380	5.5	65.5	65.5
	After starting college	200	2.9	34.5	100.0
	Total	580	8.4	100.0	
Missing	System	6353	91.6		
Total		6933	100.0		

Age when first used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	223	3.2	69.3	69.3
	After starting college	99	1.4	30.7	100.0
	Total	322	4.6	100.0	
Missing	System	6611	95.4		
Total		6933	100.0		

Number of times student binge drank during the last two weeks - out of students who drank alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1940	28.0	50.3	50.3
	1	800	11.5	20.7	71.0
	2	459	6.6	11.9	82.9
	3	244	3.5	6.3	89.2
	4	170	2.5	4.4	93.6
	5	119	1.7	3.1	96.7
	6	46	.7	1.2	97.9
	7	29	.4	.8	98.6
	8	16	.2	.4	99.0
	9	5	.1	.1	99.2
	10 or more times	32	.5	.8	100.0
	Total	3860	55.7	100.0	
Missing	System	3073	44.3		
Total		6933	100.0		

How many drinks do you typically have?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1238	17.9	23.6	23.6
	2	1411	20.4	26.9	50.5
	3	804	11.6	15.3	65.8
	4	546	7.9	10.4	76.2
	5	374	5.4	7.1	83.4
	6	300	4.3	5.7	89.1
	7	144	2.1	2.7	91.8
	8	146	2.1	2.8	94.6
	9	33	.5	.6	95.3
	10	143	2.1	2.7	98.0
	11	9	.1	.2	98.2
	12	42	.6	.8	99.0
	13	6	.1	.1	99.1
	14	3	.0	.1	99.1
	15 or more drinks	46	.7	.9	100.0
	Total	5245	75.7	100.0	
Missing	System	1688	24.3		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Residence hall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4500	64.9	83.6	83.6
	Rarely	390	5.6	7.2	90.8
	Sometimes	281	4.1	5.2	96.0
	Often	170	2.5	3.2	99.2
	Always	44	.6	.8	100.0
	Total	5385	77.7	100.0	
Missing	System	1548	22.3		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4197	60.5	78.3	78.3
	Rarely	281	4.1	5.2	83.5
	Sometimes	327	4.7	6.1	89.6
	Often	393	5.7	7.3	97.0
	Always	163	2.4	3.0	100.0
	Total	5361	77.3	100.0	
Missing	System	1572	22.7		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Other oncampus location

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4252	61.3	79.8	79.8
	Rarely	393	5.7	7.4	87.2
	Sometimes	383	5.5	7.2	94.4
	Often	239	3.4	4.5	98.9
	Always	61	.9	1.1	100.0
	Total	5328	76.8	100.0	
Missing	System	1605	23.2		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Off-campus house or apartment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1522	22.0	28.4	28.4
	Rarely	1198	17.3	22.3	50.7
	Sometimes	1241	17.9	23.1	73.9
	Often	951	13.7	17.7	91.6
	Always	449	6.5	8.4	100.0
	Total	5361	77.3	100.0	
Missing	System	1572	22.7		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Bar/restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2174	31.4	40.5	40.5
	Rarely	1111	16.0	20.7	61.2
	Sometimes	1175	16.9	21.9	83.1
	Often	714	10.3	13.3	96.4
	Always	193	2.8	3.6	100.0
	Total	5367	77.4	100.0	
Missing	System	1566	22.6		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Sporting/athletic event

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4284	61.8	80.1	80.1
	Rarely	503	7.3	9.4	89.5
	Sometimes	389	5.6	7.3	96.8
	Often	138	2.0	2.6	99.4
	Always	33	.5	.6	100.0
	Total	5347	77.1	100.0	
Missing	System	1586	22.9		
Total		6933	100.0		

In the past year, how often did you drink alcohol: In a car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4930	71.1	92.1	92.1
	Rarely	269	3.9	5.0	97.1
	Sometimes	122	1.8	2.3	99.4
	Often	27	.4	.5	99.9
	Always	7	.1	.1	100.0
	Total	5355	77.2	100.0	
Missing	System	1578	22.8		
Total		6933	100.0		

In the past year, how often did you drink alcohol: Other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4319	62.3	84.2	84.2
	Rarely	403	5.8	7.9	92.0
	Sometimes	308	4.4	6.0	98.0
	Often	63	.9	1.2	99.3
	Always	38	.5	.7	100.0
	Total	5131	74.0	100.0	
Missing	System	1802	26.0		
Total		6933	100.0		

Reasons for drinking in the past year: To experiment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1018	14.7	18.7	18.7
	No	4344	62.7	80.0	98.7
	Unsure	69	1.0	1.3	100.0
	Total	5431	78.3	100.0	
Missing	System	1502	21.7		
Total		6933	100.0		

Reasons for drinking in the past year: Because I am hooked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	106	1.5	2.0	2.0
	No	5209	75.1	96.3	98.3
	Unsure	94	1.4	1.7	100.0
	Total	5409	78.0	100.0	
Missing	System	1524	22.0		
Total		6933	100.0		

Reasons for drinking in the past year: To relax or relieve tension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3084	44.5	56.9	56.9
	No	2274	32.8	42.0	98.9
	Unsure	58	.8	1.1	100.0
	Total	5416	78.1	100.0	
Missing	System	1517	21.9		
Total		6933	100.0		

Reasons for drinking in the past year: To have a good time with friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4258	61.4	78.5	78.5
	No	1125	16.2	20.7	99.2
	Unsure	42	.6	.8	100.0
	Total	5425	78.2	100.0	
Missing	System	1508	21.8		
Total		6933	100.0		

Reasons for drinking in the past year: Because of boredom

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	887	12.8	16.4	16.4
	No	4445	64.1	82.2	98.6
	Unsure	77	1.1	1.4	100.0
	Total	5409	78.0	100.0	
Missing	System	1524	22.0		
Total		6933	100.0		

Reasons for drinking in the past year: Because of anger or frustration

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	682	9.8	12.6	12.6
	No	4669	67.3	86.3	98.9
	Unsure	57	.8	1.1	100.0
	Total	5408	78.0	100.0	
Missing	System	1525	22.0		
Total		6933	100.0		

Reasons for drinking in the past year: To get through the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	237	3.4	4.4	4.4
	No	5122	73.9	94.8	99.2
	Unsure	44	.6	.8	100.0
	Total	5403	77.9	100.0	
Missing	System	1530	22.1		
Total		6933	100.0		

Reasons for drinking in the past year: To get away from my problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	684	9.9	12.7	12.7
	No	4634	66.8	85.7	98.4
	Unsure	88	1.3	1.6	100.0
	Total	5406	78.0	100.0	
Missing	System	1527	22.0		
Total		6933	100.0		

Consequences of alcohol use in the past year: Friends or family members worried or complained about your drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4970	71.7	91.2	91.2
	Once	260	3.8	4.8	96.0
	Twice	112	1.6	2.1	98.1
	3-5 times	65	.9	1.2	99.3
	6-9 times	15	.2	.3	99.5
	10+ times	25	.4	.5	100.0
	Total	5447	78.6	100.0	
Missing	System	1486	21.4		
Total		6933	100.0		

Consequences of alcohol use in the past year: Had a hangover

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2830	40.8	52.2	52.2
	Once	904	13.0	16.7	68.9
	Twice	572	8.3	10.5	79.4
	3-5 times	568	8.2	10.5	89.9
	6-9 times	235	3.4	4.3	94.2
	10+ times	313	4.5	5.8	100.0
	Total	5422	78.2	100.0	
Missing	System	1511	21.8		
Total		6933	100.0		

Consequences of alcohol use in the past year: Felt bad/guilty about your drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4231	61.0	78.2	78.2
	Once	540	7.8	10.0	88.1
	Twice	252	3.6	4.7	92.8
	3-5 times	247	3.6	4.6	97.4
	6-9 times	58	.8	1.1	98.4
	10+ times	85	1.2	1.6	100.0
	Total	5413	78.1	100.0	
Missing	System	1520	21.9		
Total		6933	100.0		

Consequences of alcohol use in the past year: Created problems between you and your friends or family members

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4938	71.2	90.9	90.9
	Once	254	3.7	4.7	95.6
	Twice	118	1.7	2.2	97.7
	3-5 times	82	1.2	1.5	99.2
	6-9 times	19	.3	.3	99.6
	10+ times	22	.3	.4	100.0
	Total	5433	78.4	100.0	
Missing	System	1500	21.6		
Total		6933	100.0		

Consequences of alcohol use in the past year: Gotten into trouble at work or school because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5285	76.2	97.4	97.4
	Once	94	1.4	1.7	99.1
	Twice	30	.4	.6	99.6
	3-5 times	9	.1	.2	99.8
	6-9 times	6	.1	.1	99.9
	10+ times	4	.1	.1	100.0
	Total	5428	78.3	100.0	
Missing	System	1505	21.7		
Total		6933	100.0		

Consequences of alcohol use in the past year: Been hurt or injured because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4996	72.1	91.9	91.9
	Once	250	3.6	4.6	96.5
	Twice	115	1.7	2.1	98.6
	3-5 times	62	.9	1.1	99.8
	6-9 times	5	.1	.1	99.9
	10+ times	8	.1	.1	100.0
	Total	5436	78.4	100.0	
Missing	System	1497	21.6		
Total		6933	100.0		

Consequences of alcohol use in the past year: Been ticketed or arrested because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5346	77.1	98.6	98.6
	Once	60	.9	1.1	99.7
	Twice	9	.1	.2	99.9
	3-5 times	6	.1	.1	100.0
	6-9 times	1	.0	.0	100.0
	10+ times	1	.0	.0	100.0
	Total	5423	78.2	100.0	
Missing	System	1510	21.8		
Total		6933	100.0		

Consequences of alcohol use in the past year: Been arrested for drunk driving

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5395	77.8	99.3	99.3
	Once	25	.4	.5	99.8
	Twice	7	.1	.1	99.9
	3-5 times	4	.1	.1	100.0
	6-9 times	1	.0	.0	100.0
	10+ times	1	.0	.0	100.0
	Total	5433	78.4	100.0	
Missing	System	1500	21.6		
Total		6933	100.0		

Consequences of alcohol use in the past year: Driven a car while under the influence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4945	71.3	91.0	91.0
	Once	217	3.1	4.0	95.0
	Twice	125	1.8	2.3	97.3
	3-5 times	91	1.3	1.7	99.0
	6-9 times	21	.3	.4	99.4
	10+ times	34	.5	.6	100.0
	Total	5433	78.4	100.0	
Missing	System	1500	21.6		
Total		6933	100.0		

Consequences of alcohol use in the past year: Gotten into physical fights when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5214	75.2	96.2	96.2
	Once	125	1.8	2.3	98.5
	Twice	45	.6	.8	99.3
	3-5 times	25	.4	.5	99.8
	6-9 times	7	.1	.1	99.9
	10+ times	6	.1	.1	100.0
	Total	5422	78.2	100.0	
Missing	System	1511	21.8		
Total		6933	100.0		

Consequences of alcohol use in the past year: Engaged in unprotected sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4636	66.9	85.2	85.2
	Once	237	3.4	4.4	89.6
	Twice	179	2.6	3.3	92.9
	3-5 times	180	2.6	3.3	96.2
	6-9 times	60	.9	1.1	97.3
	10+ times	149	2.1	2.7	100.0
	Total	5441	78.5	100.0	
Missing	System	1492	21.5		
Total		6933	100.0		

Consequences of alcohol use in the past year: Missed class or assignments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4859	70.1	89.5	89.5
	Once	253	3.6	4.7	94.1
	Twice	160	2.3	2.9	97.1
	3-5 times	103	1.5	1.9	99.0
	6-9 times	31	.4	.6	99.5
	10+ times	26	.4	.5	100.0
	Total	5432	78.3	100.0	
Missing	System	1501	21.7		
Total		6933	100.0		

Consequences of alcohol use in the past year: Blacked out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4347	62.7	79.9	79.9
	Once	461	6.6	8.5	88.4
	Twice	263	3.8	4.8	93.2
	3-5 times	198	2.9	3.6	96.9
	6-9 times	95	1.4	1.7	98.6
	10+ times	75	1.1	1.4	100.0
	Total	5439	78.5	100.0	
Missing	System	1494	21.5		
Total		6933	100.0		

Consequences of alcohol use in the past year: Did something I later regretted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4342	62.6	79.9	79.9
	Once	484	7.0	8.9	88.8
	Twice	283	4.1	5.2	94.0
	3-5 times	201	2.9	3.7	97.7
	6-9 times	70	1.0	1.3	99.0
	10+ times	54	.8	1.0	100.0
	Total	5434	78.4	100.0	
Missing	System	1499	21.6		
Total		6933	100.0		

Consequences of alcohol use in the past year: Been in trouble with police, etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5258	75.8	97.0	97.0
	Once	120	1.7	2.2	99.3
	Twice	25	.4	.5	99.7
	3-5 times	11	.2	.2	99.9
	6-9 times	3	.0	.1	100.0
	10+ times	1	.0	.0	100.0
	Total	5418	78.1	100.0	
Missing	System	1515	21.9		
Total		6933	100.0		

Consequences of alcohol use in the past year: Experienced unwanted sexual activity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5280	76.2	97.3	97.3
	Once	105	1.5	1.9	99.3
	Twice	27	.4	.5	99.8
	3-5 times	9	.1	.2	99.9
	6-9 times	2	.0	.0	100.0
	10+ times	2	.0	.0	100.0
	Total	5425	78.2	100.0	
Missing	System	1508	21.8		
Total		6933	100.0		

Consequences of alcohol use in the past year: Took advantage of someone sexually

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5374	77.5	99.5	99.5
	Once	16	.2	.3	99.8
	Twice	5	.1	.1	99.9
	3-5 times	6	.1	.1	100.0
	6-9 times	2	.0	.0	100.0
	Total	5403	77.9	100.0	
Missing	System	1530	22.1		
Total		6933	100.0		

How often did you drink beer in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1882	27.1	35.5	35.5
	Rarely	1029	14.8	19.4	55.0
	Sometimes	992	14.3	18.7	73.7
	Often	1040	15.0	19.6	93.3
	Always	354	5.1	6.7	100.0
	Total	5297	76.4	100.0	
Missing	System	1636	23.6		
Total		6933	100.0		

How often did you drink malt beverages in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2538	36.6	48.0	48.0
	Rarely	1303	18.8	24.6	72.6
	Sometimes	966	13.9	18.3	90.9
	Often	382	5.5	7.2	98.1
	Always	99	1.4	1.9	100.0
	Total	5288	76.3	100.0	
Missing	System	1645	23.7		
Total		6933	100.0		

How often did you drink wine in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1559	22.5	29.3	29.3
	Rarely	1438	20.7	27.0	56.3
	Sometimes	1316	19.0	24.7	81.0
	Often	868	12.5	16.3	97.3
	Always	146	2.1	2.7	100.0
	Total	5327	76.8	100.0	
Missing	System	1606	23.2		
Total		6933	100.0		

How often did you drink liquor in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1277	18.4	24.0	24.0
	Rarely	1169	16.9	22.0	46.0
	Sometimes	1355	19.5	25.5	71.4
	Often	1182	17.0	22.2	93.7
	Always	337	4.9	6.3	100.0
	Total	5320	76.7	100.0	
Missing	System	1613	23.3		
Total		6933	100.0		

How often did you drink high alcohol drinks in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3979	57.4	74.4	74.4
	Rarely	841	12.1	15.7	90.1
	Sometimes	336	4.8	6.3	96.4
	Often	151	2.2	2.8	99.2
	Always	41	.6	.8	100.0
	Total	5348	77.1	100.0	
Missing	System	1585	22.9		
Total		6933	100.0		

How often did you drink some other type of alcohol in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4078	58.8	78.7	78.7
	Rarely	636	9.2	12.3	91.0
	Sometimes	338	4.9	6.5	97.5
	Often	96	1.4	1.9	99.4
	Always	33	.5	.6	100.0
	Total	5181	74.7	100.0	
Missing	System	1752	25.3		
Total		6933	100.0		

How often do you drink micro-brewed beer?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1444	20.8	42.5	42.5
	Rarely	855	12.3	25.2	67.7
	Sometimes	671	9.7	19.8	87.4
	Often	329	4.7	9.7	97.1
	Always	98	1.4	2.9	100.0
	Total	3397	49.0	100.0	
Missing	System	3536	51.0		
Total		6933	100.0		

How often do you drink micro-distilled liquor?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2218	32.0	55.1	55.1
	Rarely	1079	15.6	26.8	82.0
	Sometimes	604	8.7	15.0	97.0
	Often	101	1.5	2.5	99.5
	Always	20	.3	.5	100.0
	Total	4022	58.0	100.0	
Missing	System	2911	42.0		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol from friends over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	457	6.6	25.2	25.2
	Rarely	294	4.2	16.2	41.5
	Sometimes	364	5.3	20.1	61.6
	Often	370	5.3	20.4	82.0
	Always	325	4.7	18.0	100.0
	Total	1810	26.1	100.0	
Missing	System	5123	73.9		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol from siblings over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1378	19.9	76.9	76.9
	Rarely	168	2.4	9.4	86.3
	Sometimes	129	1.9	7.2	93.5
	Often	84	1.2	4.7	98.2
	Always	32	.5	1.8	100.0
	Total	1791	25.8	100.0	
Missing	System	5142	74.2		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol from other adults over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1161	16.7	65.0	65.0
	Rarely	241	3.5	13.5	78.5
	Sometimes	212	3.1	11.9	90.3
	Often	113	1.6	6.3	96.6
	Always	60	.9	3.4	100.0
	Total	1787	25.8	100.0	
Missing	System	5146	74.2		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol at on-campus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1095	15.8	61.2	61.2
	Rarely	167	2.4	9.3	70.5
	Sometimes	213	3.1	11.9	82.4
	Often	215	3.1	12.0	94.5
	Always	99	1.4	5.5	100.0
	Total	1789	25.8	100.0	
Missing	System	5144	74.2		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol at fraternity or sorority houses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1138	16.4	63.4	63.4
	Rarely	135	1.9	7.5	70.9
	Sometimes	177	2.6	9.9	80.8
	Often	230	3.3	12.8	93.6
	Always	115	1.7	6.4	100.0
	Total	1795	25.9	100.0	
Missing	System	5138	74.1		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol at off-campus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1100	15.9	61.3	61.3
	Rarely	195	2.8	10.9	72.2
	Sometimes	253	3.6	14.1	86.3
	Often	173	2.5	9.6	96.0
	Always	72	1.0	4.0	100.0
	Total	1793	25.9	100.0	
Missing	System	5140	74.1		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol from someone under 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1126	16.2	63.0	63.0
	Rarely	228	3.3	12.8	75.7
	Sometimes	249	3.6	13.9	89.7
	Often	134	1.9	7.5	97.1
	Always	51	.7	2.9	100.0
	Total	1788	25.8	100.0	
Missing	System	5145	74.2		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol from parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1166	16.8	64.8	64.8
	Rarely	313	4.5	17.4	82.3
	Sometimes	180	2.6	10.0	92.3
	Often	85	1.2	4.7	97.0
	Always	54	.8	3.0	100.0
	Total	1798	25.9	100.0	
Missing	System	5135	74.1		
Total		6933	100.0		

Students under 21: In the past year, how often have you obtained alcohol some other way

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1463	21.1	83.0	83.0
	Rarely	115	1.7	6.5	89.6
	Sometimes	84	1.2	4.8	94.3
	Often	62	.9	3.5	97.8
	Always	38	.5	2.2	100.0
	Total	1762	25.4	100.0	
Missing	System	5171	74.6		
Total		6933	100.0		

Students under 21: Purchased alcohol from retailer in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	226	3.3	12.3	12.3
	No	1605	23.2	87.7	100.0
	Total	1831	26.4	100.0	
Missing	System	5102	73.6		
Total		6933	100.0		

Students under 21: Used fake ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	103	1.5	51.5	51.5
	No	97	1.4	48.5	100.0
	Total	200	2.9	100.0	
Missing	System	6733	97.1		
Total		6933	100.0		

Students under 21: Used someone elses ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	43	.6	22.4	22.4
	No	149	2.1	77.6	100.0
	Total	192	2.8	100.0	
Missing	System	6741	97.2		
Total		6933	100.0		

Students under 21: Bought without using ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	136	2.0	63.0	63.0
	No	80	1.2	37.0	100.0
	Total	216	3.1	100.0	
Missing	System	6717	96.9		
Total		6933	100.0		

Students under 21: Purchased alcohol at bar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	61	.9	27.2	27.2
	1-2 times per year	70	1.0	31.3	58.5
	3-5 times	44	.6	19.6	78.1
	6-10 times	20	.3	8.9	87.1
	11 or more times	29	.4	12.9	100.0
	Total	224	3.2	100.0	
Missing	System	6709	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	77	1.1	34.2	34.2
	1-2 times per year	78	1.1	34.7	68.9
	3-5 times	37	.5	16.4	85.3
	6-10 times	19	.3	8.4	93.8
	11 or more times	14	.2	6.2	100.0
	Total	225	3.2	100.0	
Missing	System	6708	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at grocery store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	110	1.6	49.1	49.1
	1-2 times per year	45	.6	20.1	69.2
	3-5 times	38	.5	17.0	86.2
	6-10 times	13	.2	5.8	92.0
	11 or more times	18	.3	8.0	100.0
	Total	224	3.2	100.0	
Missing	System	6709	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at discount store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	136	2.0	61.8	61.8
	1-2 times per year	31	.4	14.1	75.9
	3-5 times	28	.4	12.7	88.6
	6-10 times	6	.1	2.7	91.4
	11 or more times	19	.3	8.6	100.0
	Total	220	3.2	100.0	
Missing	System	6713	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at convenience store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	156	2.3	69.6	69.6
	1-2 times per year	28	.4	12.5	82.1
	3-5 times	19	.3	8.5	90.6
	6-10 times	8	.1	3.6	94.2
	11 or more times	13	.2	5.8	100.0
	Total	224	3.2	100.0	
Missing	System	6709	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at drug store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	173	2.5	77.2	77.2
	1-2 times per year	22	.3	9.8	87.1
	3-5 times	14	.2	6.3	93.3
	6-10 times	6	.1	2.7	96.0
	11 or more times	9	.1	4.0	100.0
	Total	224	3.2	100.0	
Missing	System	6709	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at liquor store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	110	1.6	49.1	49.1
	1-2 times per year	40	.6	17.9	67.0
	3-5 times	35	.5	15.6	82.6
	6-10 times	17	.2	7.6	90.2
	11 or more times	22	.3	9.8	100.0
	Total	224	3.2	100.0	
Missing	System	6709	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at winery or micro-brewery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	190	2.7	85.2	85.2
	1-2 times per year	22	.3	9.9	95.1
	3-5 times	3	.0	1.3	96.4
	6-10 times	3	.0	1.3	97.8
	11 or more times	5	.1	2.2	100.0
	Total	223	3.2	100.0	
Missing	System	6710	96.8		
Total		6933	100.0		

Students under 21: Purchased alcohol at other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	187	2.7	91.2	91.2
	1-2 times per year	9	.1	4.4	95.6
	3-5 times	4	.1	2.0	97.6
	6-10 times	2	.0	1.0	98.5
	11 or more times	3	.0	1.5	100.0
	Total	205	3.0	100.0	
Missing	System	6728	97.0		
Total		6933	100.0		

Any age: Purchased alcohol online or via phone/mail

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	12	.2	.7	.7
	Yes	1825	26.3	99.3	100.0
	Total	1837	26.5	100.0	
Missing	System	5096	73.5		
Total		6933	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus housing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	427	6.2	16.9	16.9
	Somewhat Likely	703	10.1	27.8	44.6
	Somewhat Unlikely	467	6.7	18.5	63.1
	Very Unlikely	517	7.5	20.4	83.5
	Don't Know	417	6.0	16.5	100.0
	Total	2531	36.5	100.0	
Missing	System	4402	63.5		
Total		6933	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus housing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	174	2.5	6.9	6.9
	Somewhat Likely	391	5.6	15.5	22.4
	Somewhat Unlikely	479	6.9	19.0	41.4
	Very Unlikely	1008	14.5	40.0	81.3
	Don't Know	471	6.8	18.7	100.0
	Total	2523	36.4	100.0	
Missing	System	4410	63.6		
Total		6933	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	447	6.4	17.7	17.7
	Somewhat Likely	624	9.0	24.7	42.4
	Somewhat Unlikely	503	7.3	19.9	62.3
	Very Unlikely	523	7.5	20.7	83.0
	Don't Know	428	6.2	17.0	100.0
	Total	2525	36.4	100.0	
Missing	System	4408	63.6		
Total		6933	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	234	3.4	9.3	9.3
	Somewhat Likely	466	6.7	18.5	27.8
	Somewhat Unlikely	568	8.2	22.6	50.4
	Very Unlikely	775	11.2	30.8	81.2
	Don't Know	474	6.8	18.8	100.0
	Total	2517	36.3	100.0	
Missing	System	4416	63.7		
Total		6933	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at athletic event

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	537	7.7	21.3	21.3
	Somewhat Likely	678	9.8	26.9	48.2
	Somewhat Unlikely	384	5.5	15.2	63.4
	Very Unlikely	340	4.9	13.5	76.9
	Don't Know	584	8.4	23.1	100.0
	Total	2523	36.4	100.0	
Missing	System	4410	63.6		
Total		6933	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at other places

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	442	6.4	17.6	17.6
	Somewhat Likely	707	10.2	28.1	45.7
	Somewhat Unlikely	429	6.2	17.1	62.8
	Very Unlikely	325	4.7	12.9	75.7
	Don't Know	611	8.8	24.3	100.0
	Total	2514	36.3	100.0	
Missing	System	4419	63.7		
Total		6933	100.0		

Perceived number of alcoholic drinks consumed by the typical student at the last party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	326	4.7	5.1	5.1
	1	204	2.9	3.2	8.3
	2	777	11.2	12.1	20.4
	3	1373	19.8	21.4	41.8
	4	1294	18.7	20.2	61.9
	5	1064	15.3	16.6	78.5
	6	599	8.6	9.3	87.8
	7	243	3.5	3.8	91.6
	8	215	3.1	3.3	95.0
	9	43	.6	.7	95.6
	10	161	2.3	2.5	98.1
	11	8	.1	.1	98.3
	12	29	.4	.5	98.7
	13	3	.0	.0	98.8
	14	2	.0	.0	98.8
	15 or more drinks	77	1.1	1.2	100.0
	Total	6418	92.6	100.0	
Missing	System	515	7.4		
Total		6933	100.0		

Perceived percent of students at your school who used alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	201	2.9	3.1	3.1
	5%	179	2.6	2.8	5.9
	10%	169	2.4	2.6	8.6
	15%	125	1.8	2.0	10.5
	20%	238	3.4	3.7	14.2
	25%	261	3.8	4.1	18.3
	30%	281	4.1	4.4	22.7
	35%	234	3.4	3.7	26.4
	40%	352	5.1	5.5	31.8
	45%	216	3.1	3.4	35.2
	50%	691	10.0	10.8	46.0
	55%	213	3.1	3.3	49.3
	60%	535	7.7	8.4	57.7
	65%	386	5.6	6.0	63.7
	70%	573	8.3	8.9	72.7
	75%	629	9.1	9.8	82.5
	80%	483	7.0	7.5	90.0
	85%	278	4.0	4.3	94.3
	90%	247	3.6	3.9	98.2
	95%	93	1.3	1.5	99.7
	100%	22	.3	.3	100.0
	Total	6406	92.4	100.0	
Missing	System	527	7.6		
Total		6933	100.0		

Had your belongings or property damaged in the past year because of other students drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5867	84.6	90.8	90.8
	Once	390	5.6	6.0	96.8
	2-3 times	174	2.5	2.7	99.5
	4 or more times	33	.5	.5	100.0
	Total	6464	93.2	100.0	
Missing	System	469	6.8		
Total		6933	100.0		

Had to take care of another student who drank too much in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4387	63.3	68.0	68.0
	Once	828	11.9	12.8	80.8
	2-3 times	916	13.2	14.2	95.0
	4 or more times	325	4.7	5.0	100.0
	Total	6456	93.1	100.0	
Missing	System	477	6.9		
Total		6933	100.0		

Found vomit in the halls or other areas of your residence in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5313	76.6	82.3	82.3
	Once	550	7.9	8.5	90.9
	2-3 times	440	6.3	6.8	97.7
	4 or more times	149	2.1	2.3	100.0
	Total	6452	93.1	100.0	
Missing	System	481	6.9		
Total		6933	100.0		

Had your studying or sleep interrupted because of other students drinking in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	4986	71.9	77.4	77.4
	Once	501	7.2	7.8	85.1
	2-3 times	592	8.5	9.2	94.3
	4 or more times	366	5.3	5.7	100.0
	Total	6445	93.0	100.0	
Missing	System	488	7.0		
Total		6933	100.0		

Had to act as a designated driver for another student in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	5026	72.5	78.2	78.2
	Once	596	8.6	9.3	87.5
	2-3 times	588	8.5	9.2	96.6
	4 or more times	216	3.1	3.4	100.0
	Total	6426	92.7	100.0	
Missing	System	507	7.3		
Total		6933	100.0		

How do you think your close friends feel about you having five or more alcoholic drinks in one sitting?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	1999	28.8	30.9	30.9
	Somewhat disapprove	975	14.1	15.1	46.0
	Neither approve or disapprove	2514	36.3	38.9	84.9
	Somewhat approve	537	7.7	8.3	93.2
	Strongly approve	441	6.4	6.8	100.0
	Total	6466	93.3	100.0	
Missing	System	467	6.7		
Total		6933	100.0		

How do you think your close friends feel about you using prescription medication not prescribed to you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	4208	60.7	65.1	65.1
	Somewhat disapprove	1090	15.7	16.9	82.0
	Neither approve or disapprove	996	14.4	15.4	97.4
	Somewhat approve	101	1.5	1.6	98.9
	Strongly approve	69	1.0	1.1	100.0
	Total	6464	93.2	100.0	
Missing	System	469	6.8		
Total		6933	100.0		

How do you think your close friends feel about you using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	2526	36.4	39.1	39.1
	Somewhat disapprove	852	12.3	13.2	52.2
	Neither approve or disapprove	2021	29.2	31.3	83.5
	Somewhat approve	534	7.7	8.3	91.8
	Strongly approve	533	7.7	8.2	100.0
	Total	6466	93.3	100.0	
Missing	System	467	6.7		
Total		6933	100.0		

Number of days in past month that mental health was not good

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1697	24.5	27.4	27.4
	1	389	5.6	6.3	33.7
	2	584	8.4	9.4	43.1
	3	458	6.6	7.4	50.5
	4	285	4.1	4.6	55.1
	5	525	7.6	8.5	63.6
	6	122	1.8	2.0	65.5
	7	201	2.9	3.2	68.8
	8	85	1.2	1.4	70.2
	9	34	.5	.5	70.7
	10	402	5.8	6.5	77.2
	11	27	.4	.4	77.6
	12	63	.9	1.0	78.6
	13	32	.5	.5	79.2
	14	33	.5	.5	79.7
	15	307	4.4	5.0	84.6
	16	20	.3	.3	85.0
	17	24	.3	.4	85.4
	18	28	.4	.5	85.8
	19	16	.2	.3	86.1
	20	247	3.6	4.0	90.1
	21	17	.2	.3	90.3
	22	27	.4	.4	90.8
	23	19	.3	.3	91.1
	24	10	.1	.2	91.2
	25	107	1.5	1.7	93.0
	26	16	.2	.3	93.2
	27	26	.4	.4	93.6
	28	24	.3	.4	94.0
	29	22	.3	.4	94.4
	30	264	3.8	4.3	98.6
	Don't know, not sure	84	1.2	1.4	100.0
	Total	6195	89.4	100.0	

Number of days in past month that mental health was not good

	Frequency	Percent	Valid Percent	Cumulative Percent
Missing System	738	10.6		
Total	6933	100.0		

Felt sad or hopeless in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1658	23.9	26.8	26.8
	No	4536	65.4	73.2	100.0
	Total	6194	89.3	100.0	
Missing	System	739	10.7		
Total		6933	100.0		

Seriously considered attempting suicide in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	563	8.1	9.1	9.1
	No	5623	81.1	90.9	100.0
	Total	6186	89.2	100.0	
Missing	System	747	10.8		
Total		6933	100.0		

Identify as sober and in recovery from alcohol or drug addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	306	4.4	4.8	4.8
	No	6053	87.3	95.2	100.0
	Total	6359	91.7	100.0	
Missing	System	574	8.3		
Total		6933	100.0		

Gambling in past year: Card games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5725	82.6	89.8	89.8
	Less than once a month	527	7.6	8.3	98.1
	1-3 times per month	95	1.4	1.5	99.6
	Once a week or more	27	.4	.4	100.0
	Total	6374	91.9	100.0	
Missing	System	559	8.1		
Total		6933	100.0		

Gambling in past year: Games of skill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5840	84.2	91.9	91.9
	Less than once a month	376	5.4	5.9	97.8
	1-3 times per month	85	1.2	1.3	99.1
	Once a week or more	56	.8	.9	100.0
	Total	6357	91.7	100.0	
Missing	System	576	8.3		
Total		6933	100.0		

Gambling in past year: Sports/Fantasy leagues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5789	83.5	91.2	91.2
	Less than once a month	400	5.8	6.3	97.5
	1-3 times per month	117	1.7	1.8	99.3
	Once a week or more	44	.6	.7	100.0
	Total	6350	91.6	100.0	
Missing	System	583	8.4		
Total		6933	100.0		

Gambling in past year: Lottery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4618	66.6	72.6	72.6
	Less than once a month	1342	19.4	21.1	93.7
	1-3 times per month	328	4.7	5.2	98.8
	Once a week or more	76	1.1	1.2	100.0
	Total	6364	91.8	100.0	
Missing	System	569	8.2		
Total		6933	100.0		

Gambling in past year: Bingo

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6016	86.8	94.7	94.7
	Less than once a month	289	4.2	4.5	99.2
	1-3 times per month	41	.6	.6	99.8
	Once a week or more	10	.1	.2	100.0
	Total	6356	91.7	100.0	
Missing	System	577	8.3		
Total		6933	100.0		

Gambling in past year: Gambled on-line

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6261	90.3	98.6	98.6
	Less than once a month	47	.7	.7	99.4
	1-3 times per month	26	.4	.4	99.8
	Once a week or more	14	.2	.2	100.0
	Total	6348	91.6	100.0	
Missing	System	585	8.4		
Total		6933	100.0		

Gambling in past year: Personal challenges

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5651	81.5	89.0	89.0
	Less than once a month	532	7.7	8.4	97.3
	1-3 times per month	138	2.0	2.2	99.5
	Once a week or more	31	.4	.5	100.0
	Total	6352	91.6	100.0	
Missing	System	581	8.4		
Total		6933	100.0		

Gambling in past year: Gambled at a casino

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5621	81.1	88.5	88.5
	Less than once a month	652	9.4	10.3	98.8
	1-3 times per month	62	.9	1.0	99.8
	Once a week or more	13	.2	.2	100.0
	Total	6348	91.6	100.0	
Missing	System	585	8.4		
Total		6933	100.0		

Gambling in past year: Gambled at informal locations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6312	91.0	99.3	99.3
	Less than once a month	32	.5	.5	99.8
	1-3 times per month	7	.1	.1	99.9
	Once a week or more	5	.1	.1	100.0
	Total	6356	91.7	100.0	
Missing	System	577	8.3		
Total		6933	100.0		

Gambling in past year: Other ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6081	87.7	95.7	95.7
	Less than once a month	202	2.9	3.2	98.9
	1-3 times per month	54	.8	.9	99.8
	Once a week or more	15	.2	.2	100.0
	Total	6352	91.6	100.0	
Missing	System	581	8.4		
Total		6933	100.0		

Location where you gambled most frequently in past year (besides online or lottery)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I only gambled online or playing the lottery	873	12.6	34.6	34.6
	Apartment/House	397	5.7	15.7	50.4
	Residence hall	74	1.1	2.9	53.3
	Fraternity/Sorority	67	1.0	2.7	55.9
	Other campus housing	20	.3	.8	56.7
	Casino	569	8.2	22.6	79.3
	Other	522	7.5	20.7	100.0
	Total	2522	36.4	100.0	
Missing	System	4411	63.6		
Total		6933	100.0		

Consequences of gambling: Academic problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2697	38.9	98.6	98.6
	Occasionally	35	.5	1.3	99.9
	Frequently	4	.1	.1	100.0
	Total	2736	39.5	100.0	
Missing	System	4197	60.5		
Total		6933	100.0		

Consequences of gambling: Issues with legal system

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2713	39.1	99.5	99.5
	Occasionally	14	.2	.5	100.0
	Frequently	1	.0	.0	100.0
	Total	2728	39.3	100.0	
Missing	System	4205	60.7		
Total		6933	100.0		

Consequences of gambling: Lost possessions or money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2309	33.3	84.6	84.6
	Occasionally	395	5.7	14.5	99.1
	Frequently	25	.4	.9	100.0
	Total	2729	39.4	100.0	
Missing	System	4204	60.6		
Total		6933	100.0		

Consequences of gambling: Felt bad about gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2529	36.5	92.7	92.7
	Occasionally	178	2.6	6.5	99.2
	Frequently	21	.3	.8	100.0
	Total	2728	39.3	100.0	
Missing	System	4205	60.7		
Total		6933	100.0		

Consequences of gambling: Poor health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2680	38.7	98.1	98.1
	Occasionally	42	.6	1.5	99.6
	Frequently	10	.1	.4	100.0
	Total	2732	39.4	100.0	
Missing	System	4201	60.6		
Total		6933	100.0		

Consequences of gambling: Issues with friends and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2684	38.7	98.2	98.2
	Occasionally	41	.6	1.5	99.7
	Frequently	7	.1	.3	100.0
	Total	2732	39.4	100.0	
Missing	System	4201	60.6		
Total		6933	100.0		

Number of times student binge drank during the last two weeks - out of all students

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4728	68.2	71.1	71.1
	1	800	11.5	12.0	83.2
	2	459	6.6	6.9	90.1
	3	244	3.5	3.7	93.7
	4	170	2.5	2.6	96.3
	5	119	1.7	1.8	98.1
	6	46	.7	.7	98.8
	7	29	.4	.4	99.2
	8	16	.2	.2	99.4
	9	5	.1	.1	99.5
	10 or more times	32	.5	.5	100.0
	Total	6648	95.9	100.0	
Missing	System	285	4.1		
Total		6933	100.0		